Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
17-17	Q1	How old are you?			
		1	12 years old or younger	6	0.4
		2	13 years old	4	0.3
		3	14 years old	193	9.8
		4	15 years old	457	25.1
		5	16 years old	468	27.2
		6	17 years old	365	22.7
		7	18 years old or older	220	14.5
			Missing	4	
18-18	Q2	What is your sex?			
		1	Female	920	49.9
		2	Male	789	50.1
			Missing	8	
19-19	Q3	In what grade are you?			
		1	9th grade	530	28.4
		2	10th grade	457	27.2
		3	11th grade	392	22.1
		4	12th grade	313	22.0
		5	Ungraded or other grade	4	0.2
			Missing	21	
20-20	Q4	Are you Hispanic or Latino?			
		1	Yes	369	19.8
		2	No	1,298	80.2
			Missing	50	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5	What is your race?		
		H	1	0.0
		F	1	0.1
		E	257	19.5
		D	70	3.5
		DE	2	0.1
		C	814	60.4
		C E	29	1.3
		CD	8	0.3
		B	228	9.4
		B E	6	0.2
		B D	2	0.1
		BC	14	0.7
		BC E	1	0.0
		BCD	1	0.0
		A	35	1.7
		A E	6	0.4
		A D	1	0.1
		A C	31	1.4
		A C E	9	0.4
		A CD	1	0.0
		A CDE	1	0.0
		AB	3	0.1
		ABC	1	0.1
		ABC E	1	0.0
			194	
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
39-39	Q8	When you rode a bicycle during the past 12 months, how often did you wear a helmet?			
		1	I did not ride a bicycle during the past 12 months	590	34.1
		2	Never wore a helmet	918	54.8
		3	Rarely wore a helmet	67	3.9
		4	Sometimes wore a helmet	58	3.2
		5	Most of the time wore a helmet	33	1.9
		6	Always wore a helmet	37	2.2
			Missing	14	
40-40	Q9	How often do you wear a seat belt when riding in a car driven by someone else?			
		1	Never	143	8.8
		2	Rarely	210	12.9
		3	Sometimes	415	23.9
		4	Most of the time	448	26.6
		5	Always	477	27.8
			Missing	24	
41-41	Q10	During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?			
		1	0 times	1,326	79.2
		2	1 time	122	6.8
		3	2 or 3 times	101	5.9
		4	4 or 5 times	42	2.2
		5	6 or more times	95	5.8
			Missing	31	
42-42	Q11	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?			
		1	I did not drive a car or other vehicle during the past 30 days	886	56.9
		2	0 times	568	40.7
		3	1 time	14	0.9
		4	2 or 3 times	9	0.6
		5	4 or 5 times	3	0.2
		6	6 or more times	9	0.7
			Missing	228	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
43-43	Q12	During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?			
		1	I did not drive a car or other vehicle during the past 30 days	886	56.0
		2	0 days	496	34.4
		3	1 or 2 days	49	3.3
		4	3 to 5 days	17	1.3
		5	6 to 9 days	10	0.7
		6	10 to 19 days	5	0.5
		7	20 to 29 days	6	0.5
		8	All 30 days	45	3.2
			Missing	203	
44-44	Q13	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?			
		1	0 days	1,448	87.3
		2	1 day	60	3.7
		3	2 or 3 days	46	2.8
		4	4 or 5 days	20	1.7
		5	6 or more days	67	4.5
			Missing	76	
45-45	Q14	During the past 30 days, on how many days did you carry a gun?			
		1	0 days	1,607	95.0
		2	1 day	31	1.6
		3	2 or 3 days	11	0.9
		4	4 or 5 days	7	0.6
		5	6 or more days	29	1.8
			Missing	32	
46-46	Q15	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?			
		1	0 days	1,631	97.1
		2	1 day	23	1.5
		3	2 or 3 days	6	0.3
		4	4 or 5 days	5	0.2
		5	6 or more days	17	0.9
			Missing	35	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
47-47	Q16	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?			
		1	0 days	1,514	90.1
		2	1 day	77	4.5
		3	2 or 3 days	53	2.8
		4	4 or 5 days	18	1.1
		5	6 or more days	29	1.5
			Missing	26	
48-48	Q17	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?			
		1	0 times	1,587	93.2
		2	1 time	35	2.0
		3	2 or 3 times	40	2.4
		4	4 or 5 times	13	0.9
		5	6 or 7 times	4	0.4
		6	8 or 9 times	6	0.3
		7	10 or 11 times	1	0.0
		8	12 or more times	19	0.9
			Missing	12	
49-49	Q18	During the past 12 months, how many times were you in a physical fight?			
		1	0 times	1,066	64.1
		2	1 time	239	15.4
		3	2 or 3 times	183	11.7
		4	4 or 5 times	68	4.2
		5	6 or 7 times	25	1.6
		6	8 or 9 times	15	0.7
		7	10 or 11 times	7	0.3
		8	12 or more times	30	2.0
			Missing	84	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
50-50	Q19	During the past 12 months, how many times were you in a physical fight in which you were injured and had to be treated by a doctor or nurse?			
		1	0 times	1,583	94.6
		2	1 time	69	4.0
		3	2 or 3 times	13	0.9
		4	4 or 5 times	4	0.2
		5	6 or more times	5	0.3
			Missing	43	
51-51	Q20	During the past 12 months, how many times were you in a physical fight on school property?			
		1	0 times	1,408	84.8
		2	1 time	141	8.7
		3	2 or 3 times	78	4.7
		4	4 or 5 times	20	1.0
		5	6 or 7 times	3	0.2
		6	8 or 9 times	4	0.2
		7	10 or 11 times	1	0.0
		8	12 or more times	7	0.5
			Missing	55	
52-52	Q21	Have you ever been physically forced to have sexual intercourse when you did not want to?			
		1	Yes	140	8.0
		2	No	1,524	92.0
			Missing	53	
53-53	Q22	During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose?			
		1	I did not date or go out with anyone during the past 12 months	453	26.7
		2	0 times	1,036	65.4
		3	1 time	45	3.1
		4	2 or 3 times	27	1.9
		5	4 or 5 times	16	1.0
		6	6 or more times	27	1.9
			Missing	113	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
54-54	Q23	During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do?			
		1	I did not date or go out with anyone during the past 12 months	453	26.7
		2	0 times	1,022	65.5
		3	1 time	57	3.7
		4	2 or 3 times	33	1.8
		5	4 or 5 times	11	0.6
		6	6 or more times	26	1.7
			Missing	115	
55-55	Q24	During the past 12 months, have you ever been bullied on school property?			
		1	Yes	232	13.9
		2	No	1,437	86.1
			Missing	48	
56-56	Q25	During the past 12 months, have you ever been electronically bullied?			
		1	Yes	176	9.6
		2	No	1,517	90.4
			Missing	24	
57-57	Q26	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?			
		1	Yes	565	32.4
		2	No	1,082	67.6
			Missing	70	
58-58	Q27	During the past 12 months, did you ever seriously consider attempting suicide?			
		1	Yes	257	14.0
		2	No	1,411	86.0
			Missing	49	
59-59	Q28	During the past 12 months, did you make a plan about how you would attempt suicide?			
		1	Yes	237	12.8
		2	No	1,432	87.2
			Missing	48	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
60-60	Q29	During the past 12 months, how many times did you actually attempt suicide?			
		1	0 times	1,139	89.0
		2	1 time	81	5.6
		3	2 or 3 times	44	3.3
		4	4 or 5 times	19	1.7
		5	6 or more times	10	0.5
			Missing	424	
61-61	Q30	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?			
		1	I did not attempt suicide during the past 12 months	1,144	89.6
		2	Yes	50	3.6
		3	No	97	6.8
			Missing	426	
62-62	Q31	Have you ever tried cigarette smoking, even one or two puffs?			
		1	Yes	525	33.1
		2	No	1,076	66.9
			Missing	116	
63-63	Q32	How old were you when you smoked a whole cigarette for the first time?			
		1	I have never smoked a whole cigarette	1,247	79.7
		2	8 years old or younger	27	1.9
		3	9 or 10 years old	29	1.8
		4	11 or 12 years old	44	3.3
		5	13 or 14 years old	102	6.5
		6	15 or 16 years old	85	5.4
		7	17 years old or older	21	1.4
			Missing	162	
64-64	Q33	During the past 30 days, on how many days did you smoke cigarettes?			
		1	0 days	1,469	92.8
		2	1 or 2 days	39	2.6
		3	3 to 5 days	14	0.8
		4	6 to 9 days	7	0.6
		5	10 to 19 days	16	1.1
		6	20 to 29 days	9	0.7
		7	All 30 days	21	1.3
			Missing	142	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
65-65	Q34	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?			
		1	I did not smoke cigarettes during the past 30 days	1,445	93.0
		2	Less than 1 cigarette per day	32	2.2
		3	1 cigarette per day	19	1.1
		4	2 to 5 cigarettes per day	33	2.5
		5	6 to 10 cigarettes per day	8	0.6
		6	11 to 20 cigarettes per day	4	0.3
		7	More than 20 cigarettes per day	4	0.2
			Missing	172	
66-66	Q35	During the past 30 days, how did you usually get your own cigarettes?			
		1	I did not smoke cigarettes during the past 30 days	1,439	93.2
		2	I bought them in a store such as a convenience store, supermarket, discount store, or gas station	38	2.6
		3	I got them on the Internet	6	0.4
		4	I gave someone else money to buy them for me	11	0.7
		5	I borrowed (or bummed) them from someone else	20	1.6
		6	A person 18 years old or older gave them to me	6	0.5
		7	I took them from a store or family member	8	0.6
		8	I got them some other way	8	0.5
			Missing	181	
67-67	Q36	During the past 12 months, did you ever try to quit smoking cigarettes?			
		1	I did not smoke during the past 12 months	1,352	89.8
		2	Yes	79	5.5
		3	No	67	4.6
			Missing	219	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
68-68	Q37	During the past 30 days, on how many days did you use chewing tobacco, snuff, or dip, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, or Copenhagen?			
		1	0 days	1,574	94.2
		2	1 or 2 days	44	3.2
		3	3 to 5 days	16	1.0
		4	6 to 9 days	8	0.5
		5	10 to 19 days	4	0.3
		6	20 to 29 days	4	0.2
		7	All 30 days	10	0.7
			Missing	57	
69-69	Q38	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?			
		1	0 days	1,490	89.5
		2	1 or 2 days	73	5.1
		3	3 to 5 days	31	2.0
		4	6 to 9 days	10	0.8
		5	10 to 19 days	15	1.1
		6	20 to 29 days	12	0.7
		7	All 30 days	15	0.8
			Missing	71	
70-70	Q39	Have you ever used an electronic vapor product?			
		1	Yes	608	39.3
		2	No	983	60.7
			Missing	126	
71-71	Q40	During the past 30 days, on how many days did you use an electronic vapor product?			
		1	0 days	1,334	82.6
		2	1 or 2 days	154	9.9
		3	3 to 5 days	49	3.5
		4	6 to 9 days	25	1.6
		5	10 to 19 days	18	1.0
		6	20 to 29 days	8	0.6
		7	All 30 days	17	0.9
			Missing	112	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
72-72	Q41	During your life, on how many days have you had at least one drink of alcohol?			
		1	0 days	625	40.0
		2	1 or 2 days	344	23.2
		3	3 to 9 days	237	14.8
		4	10 to 19 days	129	8.0
		5	20 to 39 days	79	5.5
		6	40 to 99 days	65	4.9
		7	100 or more days	54	3.6
			Missing	184	
73-73	Q42	How old were you when you had your first drink of alcohol other than a few sips?			
		1	I have never had a drink of alcohol other than a few sips	667	39.9
		2	8 years old or younger	86	5.3
		3	9 or 10 years old	75	4.7
		4	11 or 12 years old	125	7.7
		5	13 or 14 years old	337	21.2
		6	15 or 16 years old	259	16.3
		7	17 years old or older	74	5.0
			Missing	94	
74-74	Q43	During the past 30 days, on how many days did you have at least one drink of alcohol?			
		1	0 days	1,054	73.4
		2	1 or 2 days	234	15.6
		3	3 to 5 days	87	6.7
		4	6 to 9 days	33	2.6
		5	10 to 19 days	19	1.2
		6	20 to 29 days	2	0.1
		7	All 30 days	3	0.3
			Missing	285	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
75-75	Q44	During the past 30 days, on how many days did you have 5 or more drinks of alcohol in a row, that is, within a couple of hours?			
		1	0 days	1,391	89.2
		2	1 day	86	5.3
		3	2 days	51	3.0
		4	3 to 5 days	23	1.7
		5	6 to 9 days	5	0.3
		6	10 to 19 days	3	0.2
		7	20 or more days	4	0.3
			Missing	154	
77-77	Q46	During the past 30 days, how did you usually get the alcohol you drank?			
		1	I did not drink alcohol during the past 30 days	1,045	72.3
		2	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	46	3.2
		3	I bought it at a restaurant, bar, or club	13	0.9
		4	I bought it at a public event such as a concert or sporting event	8	0.6
		5	I gave someone else money to buy it for me	69	4.5
		6	Someone gave it to me	163	11.2
		7	I took it from a store or family member	53	3.2
		8	I got it some other way	52	4.0
			Missing	268	
78-78	Q47	During your life, how many times have you used marijuana?			
		1	0 times	951	59.4
		2	1 or 2 times	151	9.9
		3	3 to 9 times	142	9.3
		4	10 to 19 times	65	4.2
		5	20 to 39 times	65	4.6
		6	40 to 99 times	61	4.5
		7	100 or more times	115	8.2
			Missing	167	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
79-79	Q48	How old were you when you tried marijuana for the first time?			
		1	I have never tried marijuana	952	59.0
		2	8 years old or younger	23	1.5
		3	9 or 10 years old	38	2.7
		4	11 or 12 years old	67	4.5
		5	13 or 14 years old	252	17.4
		6	15 or 16 years old	181	11.4
		7	17 years old or older	46	3.3
			Missing	158	
80-80	Q49	During the past 30 days, how many times did you use marijuana?			
		1	0 times	1,261	78.4
		2	1 or 2 times	143	8.7
		3	3 to 9 times	75	5.7
		4	10 to 19 times	45	2.7
		5	20 to 39 times	28	1.9
		6	40 or more times	40	2.6
			Missing	125	
81-81	Q50	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?			
		1	0 times	1,533	95.4
		2	1 or 2 times	27	1.8
		3	3 to 9 times	16	1.1
		4	10 to 19 times	9	0.7
		5	20 to 39 times	10	0.5
		6	40 or more times	10	0.5
			Missing	112	
82-82	Q51	During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?			
		1	0 times	1,471	92.5
		2	1 or 2 times	60	3.6
		3	3 to 9 times	30	1.8
		4	10 to 19 times	15	1.0
		5	20 to 39 times	5	0.3
		6	40 or more times	13	0.8
			Missing	123	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
83-83	Q52	During your life, how many times have you used heroin (also called smack, junk, or China White)?			
		1	0 times	1,557	96.7
		2	1 or 2 times	17	1.2
		3	3 to 9 times	15	1.1
		4	10 to 19 times	7	0.5
		5	20 to 39 times	4	0.1
		6	40 or more times	8	0.4
			Missing	109	
84-84	Q53	During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?			
		1	0 times	1,544	96.2
		2	1 or 2 times	27	1.8
		3	3 to 9 times	13	0.8
		4	10 to 19 times	6	0.4
		5	20 to 39 times	4	0.3
		6	40 or more times	8	0.5
			Missing	115	
85-85	Q54	During your life, how many times have you used ecstasy (also called MDMA)?			
		1	0 times	1,516	95.8
		2	1 or 2 times	30	2.2
		3	3 to 9 times	14	0.9
		4	10 to 19 times	8	0.6
		5	20 to 39 times	3	0.2
		6	40 or more times	7	0.3
			Missing	139	
86-86	Q55	During your life, how many times have you used synthetic marijuana (also called K2, Spice, fake weed, King Kong, Yucatan Fire, Skunk, or Moon Rocks)?			
		1	0 times	1,437	89.8
		2	1 or 2 times	91	5.7
		3	3 to 9 times	38	2.6
		4	10 to 19 times	12	0.8
		5	20 to 39 times	9	0.7
		6	40 or more times	9	0.4
			Missing	121	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
87-87	Q56	During your life, how many times have you taken steroid pills or shots without a doctor's prescription?			
		1	0 times	1,513	94.1
		2	1 or 2 times	39	2.5
		3	3 to 9 times	28	2.2
		4	10 to 19 times	9	0.6
		5	20 to 39 times	5	0.3
		6	40 or more times	7	0.4
			Missing	116	
88-88	Q57	During your life, how many times have you taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription?			
		1	0 times	1,377	86.9
		2	1 or 2 times	94	6.1
		3	3 to 9 times	47	3.5
		4	10 to 19 times	23	1.4
		5	20 to 39 times	16	1.1
		6	40 or more times	15	1.0
			Missing	145	
89-89	Q58	During your life, how many times have you used a needle to inject any illegal drug into your body?			
		1	0 times	1,556	97.5
		2	1 time	24	1.5
		3	2 or more times	14	0.9
			Missing	123	
90-90	Q59	During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?			
		1	Yes	408	26.1
		2	No	1,157	73.9
			Missing	152	
91-91	Q60	Have you ever had sexual intercourse?			
		1	Yes	648	52.4
		2	No	675	47.6
			Missing	394	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
92-92	Q61	How old were you when you had sexual intercourse for the first time?			
		1	I have never had sexual intercourse	675	47.1
		2	11 years old or younger	63	5.7
		3	12 years old	46	3.9
		4	13 years old	102	8.0
		5	14 years old	156	11.7
		6	15 years old	159	11.7
		7	16 years old	90	7.4
		8	17 years old or older	44	4.5
			Missing	382	
93-93	Q62	During your life, with how many people have you had sexual intercourse?			
		1	I have never had sexual intercourse	675	47.6
		2	1 person	229	17.6
		3	2 people	119	9.7
		4	3 people	73	5.7
		5	4 people	73	6.0
		6	5 people	40	3.7
		7	6 or more people	116	9.7
			Missing	392	
94-94	Q63	During the past 3 months, with how many people did you have sexual intercourse?			
		1	I have never had sexual intercourse	663	47.1
		2	I have had sexual intercourse, but not during the past 3 months	191	15.7
		3	1 person	331	26.8
		4	2 people	62	5.3
		5	3 people	39	3.1
		6	4 people	5	0.5
		7	5 people	4	0.4
		8	6 or more people	15	1.1
			Missing	407	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
95-95	Q64	Did you drink alcohol or use drugs before you had sexual intercourse the last time?			
		1	I have never had sexual intercourse	667	47.1
		2	Yes	88	6.7
		3	No	561	46.2
			Missing	401	
96-96	Q65	The last time you had sexual intercourse, did you or your partner use a condom?			
		1	I have never had sexual intercourse	669	48.3
		2	Yes	365	31.1
		3	No	261	20.6
			Missing	422	
97-97	Q66	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?			
		1	I have never had sexual intercourse	667	47.9
		2	No method was used to prevent pregnancy	116	9.3
		3	Birth control pills	68	5.2
		4	Condoms	302	25.5
		5	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	10	0.7
		6	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	34	3.1
		7	Withdrawal or some other method	79	6.4
		8	Not sure	21	1.8
			Missing	420	
98-98	Q67	During your life, with whom have you had sexual contact?			
		1	I have never had sexual contact	535	34.0
		2	Females	448	33.4
		3	Males	344	23.4
		4	Females and males	124	9.1
			Missing	266	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
99-99	Q68	Which of the following best describes you?			
		1	Heterosexual (straight)	1,249	80.7
		2	Gay or lesbian	65	4.5
		3	Bisexual	153	9.3
		4	Not sure	90	5.5
			Missing	160	
100-100	Q69	How do you describe your weight?			
		1	Very underweight	80	5.0
		2	Slightly underweight	213	13.2
		3	About the right weight	840	55.5
		4	Slightly overweight	335	21.3
		5	Very overweight	76	4.9
			Missing	173	
101-101	Q70	Which of the following are you trying to do about your weight?			
		1	Lose weight	701	45.1
		2	Gain weight	340	21.8
		3	Stay the same weight	260	17.3
		4	I am not trying to do anything about my weight	251	15.8
			Missing	165	
102-102	Q71	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?			
		1	I did not drink 100% fruit juice during the past 7 days	390	24.2
		2	1 to 3 times during the past 7 days	534	34.1
		3	4 to 6 times during the past 7 days	250	16.4
		4	1 time per day	84	5.3
		5	2 times per day	101	6.9
		6	3 times per day	55	3.6
		7	4 or more times per day	124	9.4
			Missing	179	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
103-103	Q72	During the past 7 days, how many times did you eat fruit?			
		1	I did not eat fruit during the past 7 days	276	19.3
		2	1 to 3 times during the past 7 days	544	34.4
		3	4 to 6 times during the past 7 days	264	16.7
		4	1 time per day	137	8.6
		5	2 times per day	134	8.7
		6	3 times per day	68	4.9
		7	4 or more times per day	118	7.5
			Missing	176	
104-104	Q73	During the past 7 days, how many times did you eat green salad?			
		1	I did not eat green salad during the past 7 days	705	45.1
		2	1 to 3 times during the past 7 days	528	34.3
		3	4 to 6 times during the past 7 days	140	9.5
		4	1 time per day	94	6.1
		5	2 times per day	37	2.5
		6	3 times per day	11	0.8
		7	4 or more times per day	22	1.6
			Missing	180	
105-105	Q74	During the past 7 days, how many times did you eat potatoes?			
		1	I did not eat potatoes during the past 7 days	651	42.6
		2	1 to 3 times during the past 7 days	639	41.9
		3	4 to 6 times during the past 7 days	130	8.8
		4	1 time per day	44	2.7
		5	2 times per day	15	1.2
		6	3 times per day	18	1.3
		7	4 or more times per day	18	1.5
			Missing	202	
106-106	Q75	During the past 7 days, how many times did you eat carrots?			
		1	I did not eat carrots during the past 7 days	974	64.9
		2	1 to 3 times during the past 7 days	405	25.4
		3	4 to 6 times during the past 7 days	74	4.5
		4	1 time per day	38	2.6
		5	2 times per day	10	0.8
		6	3 times per day	9	0.7
		7	4 or more times per day	18	1.2
			Missing	189	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
107-107	Q76	During the past 7 days, how many times did you eat other vegetables?			
		1	I did not eat other vegetables during the past 7 days	343	23.2
		2	1 to 3 times during the past 7 days	565	37.1
		3	4 to 6 times during the past 7 days	303	19.8
		4	1 time per day	148	9.4
		5	2 times per day	84	5.1
		6	3 times per day	33	2.0
		7	4 or more times per day	45	3.3
			Missing	196	
108-108	Q77	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?			
		1	I did not drink soda or pop during the past 7 days	377	24.5
		2	1 to 3 times during the past 7 days	573	36.7
		3	4 to 6 times during the past 7 days	250	17.2
		4	1 time per day	89	6.1
		5	2 times per day	77	5.3
		6	3 times per day	57	4.0
		7	4 or more times per day	86	6.1
			Missing	208	
109-109	Q78	During the past 7 days, how many glasses of milk did you drink?			
		1	I did not drink milk during the past 7 days	405	26.6
		2	1 to 3 glasses during the past 7 days	500	33.7
		3	4 to 6 glasses during the past 7 days	222	13.6
		4	1 glass per day	179	11.8
		5	2 glasses per day	114	7.6
		6	3 glasses per day	49	3.5
		7	4 or more glasses per day	46	3.1
			Missing	202	
110-110	Q79	During the past 7 days, on how many days did you eat breakfast?			
		1	0 days	248	16.9
		2	1 day	150	9.7
		3	2 days	215	14.2
		4	3 days	157	10.4
		5	4 days	126	9.1
		6	5 days	131	8.5
		7	6 days	79	4.7
		8	7 days	394	26.3
			Missing	217	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
111-111	Q80	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?			
		1	0 days	379	24.3
		2	1 day	170	11.3
		3	2 days	192	12.2
		4	3 days	156	10.7
		5	4 days	122	8.4
		6	5 days	159	9.7
		7	6 days	53	3.6
		8	7 days	270	19.6
			Missing	216	
112-112	Q81	On an average school day, how many hours do you watch TV?			
		1	I do not watch TV on an average school day	282	17.9
		2	Less than 1 hour per day	281	19.0
		3	1 hour per day	201	12.7
		4	2 hours per day	248	16.2
		5	3 hours per day	176	12.6
		6	4 hours per day	108	7.8
		7	5 or more hours per day	195	13.9
			Missing	226	
113-113	Q82	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?			
		1	I do not play video or computer games or use a computer for something that is not school work	286	20.2
		2	Less than 1 hour per day	184	11.6
		3	1 hour per day	133	9.3
		4	2 hours per day	167	11.2
		5	3 hours per day	170	11.2
		6	4 hours per day	116	8.1
		7	5 or more hours per day	415	28.5
			Missing	246	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
114-114	Q83	In an average week when you are in school, on how many days do you go to physical education (PE) classes?			
		1	0 days	843	54.3
		2	1 day	102	7.9
		3	2 days	82	6.0
		4	3 days	147	12.2
		5	4 days	34	2.1
		6	5 days	270	17.5
			Missing	239	
115-115	Q84	During the past 12 months, on how many sports teams did you play?			
		1	0 teams	763	51.1
		2	1 team	408	27.6
		3	2 teams	166	11.8
		4	3 or more teams	131	9.5
			Missing	249	
116-116	Q85	Have you ever been tested for HIV, the virus that causes AIDS?			
		1	Yes	501	35.1
		2	No	808	56.0
		3	Not sure	145	8.9
			Missing	263	
117-117	Q86	When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?			
		1	During the past 12 months	1,001	67.8
		2	Between 12 and 24 months ago	219	15.3
		3	More than 24 months ago	90	6.6
		4	Never	37	2.1
		5	Not sure	119	8.2
			Missing	251	
118-118	Q87	Has a doctor or nurse ever told you that you have asthma?			
		1	Yes	401	28.5
		2	No	958	65.5
		3	Not sure	85	6.0
			Missing	273	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
119-119	Q88	On an average school night, how many hours of sleep do you get?			
		1	4 or less hours	222	14.7
		2	5 hours	243	17.3
		3	6 hours	351	25.8
		4	7 hours	348	22.6
		5	8 hours	205	12.9
		6	9 hours	75	5.1
		7	10 or more hours	24	1.7
			Missing	249	
120-120	Q89	During the past 12 months, how would you describe your grades in school?			
		1	Mostly A's	455	29.9
		2	Mostly B's	549	38.3
		3	Mostly C's	270	19.7
		4	Mostly D's	60	4.7
		5	Mostly F's	31	2.0
		6	None of these grades	11	0.7
		7	Not sure	74	4.6
			Missing	267	
121-121	Q90	How often do you feel safe and secure in your neighborhood?			
		1	Never	165	9.7
		2	Rarely	144	7.7
		3	Sometimes	343	18.4
		4	Most of the time	600	35.1
		5	Always	444	29.1
			Missing	21	
122-122	Q91	During the past 30 days, have you texted, e-mailed, or posted electronically a revealing or sexual photo of yourself?			
		1	Yes	215	13.6
		2	No	1,461	86.4
			Missing	41	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
123-123	Q92	During the past 30 days, have you received a text or an e-mail with a revealing or sexual photo of someone?			
		1	Yes	563	34.7
		2	No	1,103	65.3
			Missing	51	
124-124	Q93	During the past 30 days, has a revealing or sexual photo of you been texted, e-mailed, or posted electronically without your permission?			
		1	Yes	87	5.4
		2	No	1,491	88.0
		3	Not sure	108	6.5
			Missing	31	
125-125	Q94	During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose?			
		1	0 times	1,364	81.3
		2	1 time	154	8.7
		3	2 or 3 times	87	4.9
		4	4 or 5 times	31	1.8
		5	6 or more times	64	3.3
			Missing	17	
126-126	Q95	During the past 30 days, did you try to lose weight or keep from gaining weight by going without eating for 24 hours or more; taking any diet pills, powders, or liquids; vomiting or taking laxatives; smoking cigarettes; or skipping meals?			
		1	Yes	256	16.5
		2	No	1,190	77.6
		3	Not sure	91	5.9
			Missing	180	
127-127	Q96	During the past 30 days, how often did you go hungry because there was not enough food in your home?			
		1	Never	901	61.1
		2	Rarely	299	20.4
		3	Sometimes	195	13.2
		4	Most of the time	53	3.2
		5	Always	30	2.1
			Missing	239	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
128-128	Q97	Do any of your classroom teachers provide short physical activity breaks during regular class time?			
		1	Yes	217	15.2
		2	No	1,214	84.8
			Missing	286	
129-129	Q98	Have you ever been taught about AIDS or HIV infection in school?			
		1	Yes	1,151	80.6
		2	No	231	14.7
		3	Not sure	75	4.6
			Missing	260	
130-130	Q99	Have you ever talked about AIDS or HIV infection with your parents or other adults in your family?			
		1	Yes	704	50.5
		2	No	641	43.1
		3	Not sure	96	6.4
			Missing	276	
131-131	Q100	Have you ever had the HPV vaccine, a vaccine to prevent human papillomavirus or HPV infection (also called the cervical cancer vaccine, HPV shot, or GARDASIL)?			
		1	Yes	521	37.0
		2	No	460	31.4
		3	Not sure	465	31.6
			Missing	271	
185-185	QN8	Percentage of students who rarely or never wore a bicycle helmet (among students who had ridden a bicycle during the 12 months before the survey)			
		1	Yes	985	89.0
		2	No	128	11.0
			Missing	604	
186-186	QN9	Percentage of students who rarely or never wore a seat belt (when riding in a car driven by someone else)			
		1	Yes	353	21.7
		2	No	1,340	78.3
			Missing	24	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
187-187	QN10	Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle one or more times during the 30 days before the survey)			
		1	Yes	360	20.8
		2	No	1,326	79.2
			Missing	31	
188-188	QN11	Percentage of students who drove when drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)			
		1	Yes	35	5.7
		2	No	568	94.3
			Missing	1,114	
189-189	QN12	Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)			
		1	Yes	132	21.8
		2	No	496	78.2
			Missing	1,089	
190-190	QN13	Percentage of students who carried a weapon (such as a gun, knife, or club on at least 1 day during the 30 days before the survey)			
		1	Yes	193	12.7
		2	No	1,448	87.3
			Missing	76	
191-191	QN14	Percentage of students who carried a gun (on at least 1 day during the 30 days before the survey)			
		1	Yes	78	5.0
		2	No	1,607	95.0
			Missing	32	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
192-192	QN15	Percentage of students who carried a weapon on school property (such as a gun, knife, or club on at least 1 day during the 30 days before the survey)			
		1	Yes	51	2.9
		2	No	1,631	97.1
			Missing	35	
193-193	QN16	Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)			
		1	Yes	177	9.9
		2	No	1,514	90.1
			Missing	26	
194-194	QN17	Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club one or more times during the 12 months before the survey)			
		1	Yes	118	6.8
		2	No	1,587	93.2
			Missing	12	
195-195	QN18	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)			
		1	Yes	567	35.9
		2	No	1,066	64.1
			Missing	84	
196-196	QN19	Percentage of students who were injured in a physical fight (one or more times during the 12 months before the survey; injuries had to be treated by a doctor or nurse)			
		1	Yes	91	5.4
		2	No	1,583	94.6
			Missing	43	
197-197	QN20	Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)			
		1	Yes	254	15.2
		2	No	1,408	84.8
			Missing	55	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
198-198	QN21	Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)			
		1	Yes	140	8.0
		2	No	1,524	92.0
			Missing	53	
199-199	QN22	Percentage of students who experienced physical dating violence (one or more times during the 12 months before the survey, including being hit, slammed into something, or injured with an object or weapon on purpose by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)			
		1	Yes	115	10.8
		2	No	1,036	89.2
			Missing	566	
200-200	QN23	Percentage of students who experienced sexual dating violence (one or more times during the 12 months before the survey, including kissing, touching, or being physically forced to have sexual intercourse when they did not want to by someone they were dating or going out with among students who dated or went out with someone during the 12 months before the survey)			
		1	Yes	127	10.6
		2	No	1,022	89.4
			Missing	568	
201-201	QN24	Percentage of students who were bullied on school property (during the 12 months before the survey)			
		1	Yes	232	13.9
		2	No	1,437	86.1
			Missing	48	
202-202	QN25	Percentage of students who were electronically bullied (including being bullied through e-mail, chat rooms, instant messaging, websites, or texting during the 12 months before the survey)			
		1	Yes	176	9.6
		2	No	1,517	90.4
			Missing	24	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
203-203	QN26	Percentage of students who felt sad or hopeless (almost every day for 2 or more weeks in a row so that they stopped doing some usual activities during the 12 months before the survey)			
		1	Yes	565	32.4
		2	No	1,082	67.6
			Missing	70	
204-204	QN27	Percentage of students who seriously considered attempting suicide (during the 12 months before the survey)			
		1	Yes	257	14.0
		2	No	1,411	86.0
			Missing	49	
205-205	QN28	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)			
		1	Yes	237	12.8
		2	No	1,432	87.2
			Missing	48	
206-206	QN29	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)			
		1	Yes	154	11.0
		2	No	1,139	89.0
			Missing	424	
207-207	QN30	Percentage of students who attempted suicide that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)			
		1	Yes	50	3.6
		2	No	1,241	96.4
			Missing	426	
208-208	QN31	Percentage of students who ever tried cigarette smoking (even one or two puffs)			
		1	Yes	525	33.1
		2	No	1,076	66.9
			Missing	116	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
209-209	QN32	Percentage of students who smoked a whole cigarette before age 13 years (for the first time)			
		1	Yes	100	7.0
		2	No	1,455	93.0
			Missing	162	
210-210	QN33	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)			
		1	Yes	106	7.2
		2	No	1,469	92.8
			Missing	142	
211-211	QN34	Percentage of students who smoked more than 10 cigarettes per day (during the 30 days before the survey among students who currently smoked cigarettes on the days they smoked)			
		1	Yes	8	8.2
		2	No	92	91.8
			Missing	1,617	
212-212	QN35	Percentage of students who usually obtained their own cigarettes by buying them in a store or gas station (during the 30 days before the survey among students who currently smoked cigarettes and who were aged <18 years)			
		1	Yes	23	34.1
		2	No	48	65.9
			Missing	1,646	
213-213	QN36	Percentage of students who tried to quit smoking cigarettes (among students who currently smoked cigarettes during the 12 months before the survey)			
		1	Yes	49	54.9
		2	No	41	45.1
			Missing	1,627	
214-214	QN37	Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, or dip on at least 1 day during the 30 days before the survey)			
		1	Yes	86	5.8
		2	No	1,574	94.2
			Missing	57	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
215-215	QN38	Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars on at least 1 day during the 30 days before the survey)			
		1	Yes	156	10.5
		2	No	1,490	89.5
			Missing	71	
216-216	QN39	Percentage of students who ever used electronic vapor products (e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, or Starbuzz)			
		1	Yes	608	39.3
		2	No	983	60.7
			Missing	126	
217-217	QN40	Percentage of students who currently used electronic vapor products (e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens such as blu, NJOY, or Starbuzz on at least 1 day during the 30 days before the survey)			
		1	Yes	271	17.4
		2	No	1,334	82.6
			Missing	112	
218-218	QN41	Percentage of students who ever drank alcohol (at least one drink of alcohol on at least 1 day during their life)			
		1	Yes	908	60.0
		2	No	625	40.0
			Missing	184	
219-219	QN42	Percentage of students who drank alcohol before age 13 years (for the first time other than a few sips)			
		1	Yes	286	17.6
		2	No	1,337	82.4
			Missing	94	
220-220	QN43	Percentage of students who currently drank alcohol (at least one drink of alcohol on at least 1 day during the 30 days before the survey)			
		1	Yes	378	26.6
		2	No	1,054	73.4
			Missing	285	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
221-221	QN44	Percentage of students who drank five or more drinks of alcohol in a row (within a couple of hours on at least 1 day during the 30 days before the survey)			
		1	Yes	172	10.8
		2	No	1,391	89.2
			Missing	154	
223-223	QN46	Percentage of students who usually obtained the alcohol they drank by someone giving it to them (among students who currently drank alcohol)			
		1	Yes	154	40.7
		2	No	219	59.3
			Missing	1,344	
224-224	QN47	Percentage of students who ever used marijuana (one or more times during their life)			
		1	Yes	599	40.6
		2	No	951	59.4
			Missing	167	
225-225	QN48	Percentage of students who tried marijuana before age 13 years (for the first time)			
		1	Yes	128	8.8
		2	No	1,431	91.2
			Missing	158	
226-226	QN49	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)			
		1	Yes	331	21.6
		2	No	1,261	78.4
			Missing	125	
227-227	QN50	Percentage of students who ever used cocaine (any form of cocaine, such as powder, crack, or freebase, one or more times during their life)			
		1	Yes	72	4.6
		2	No	1,533	95.4
			Missing	112	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
228-228	QN51	Percentage of students who ever used inhalants (sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high, one or more times during their life)			
		1	Yes	123	7.5
		2	No	1,471	92.5
			Missing	123	
229-229	QN52	Percentage of students who ever used heroin (also called "smack," "junk," or "China white," one or more times during their life)			
		1	Yes	51	3.3
		2	No	1,557	96.7
			Missing	109	
230-230	QN53	Percentage of students who ever used methamphetamines (also called "speed," "crystal," "crank," or "ice," one or more times during their life)			
		1	Yes	58	3.8
		2	No	1,544	96.2
			Missing	115	
231-231	QN54	Percentage of students who ever used ecstasy (also called "MDMA," one or more times during their life)			
		1	Yes	62	4.2
		2	No	1,516	95.8
			Missing	139	
232-232	QN55	Percentage of students who ever used synthetic marijuana (also called "K2", "Spice", "fake weed", "King Kong", "Yucatan Fire", "Skunk", or "Moon Rocks", one or more times during their life)			
		1	Yes	159	10.2
		2	No	1,437	89.8
			Missing	121	
233-233	QN56	Percentage of students who ever took steroids without a doctor's prescription (pills or shots, one or more times during their life)			
		1	Yes	88	5.9
		2	No	1,513	94.1
			Missing	116	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
234-234	QN57	Percentage of students who ever took prescription drugs without a doctor's prescription (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax, one or more times during their life)			
		1	Yes	195	13.1
		2	No	1,377	86.9
			Missing	145	
235-235	QN58	Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body one or more times during their life)			
		1	Yes	38	2.5
		2	No	1,556	97.5
			Missing	123	
236-236	QN59	Percentage of students who were offered, sold, or given an illegal drug on school property (during the 12 months before the survey)			
		1	Yes	408	26.1
		2	No	1,157	73.9
			Missing	152	
237-237	QN60	Percentage of students who ever had sexual intercourse			
		1	Yes	648	52.4
		2	No	675	47.6
			Missing	394	
238-238	QN61	Percentage of students who had sexual intercourse before age 13 years (for the first time)			
		1	Yes	109	9.7
		2	No	1,226	90.3
			Missing	382	
239-239	QN62	Percentage of students who had sexual intercourse with four or more persons (during their life)			
		1	Yes	229	19.4
		2	No	1,096	80.6
			Missing	392	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
240-240	QN63	Percentage of students who were currently sexually active (sexual intercourse with at least one person during the 3 months before the survey)			
		1	Yes	456	37.2
		2	No	854	62.8
			Missing	407	
241-241	QN64	Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)			
		1	Yes	61	13.2
		2	No	387	86.8
			Missing	1,269	
242-242	QN65	Percentage of students who used a condom (during last sexual intercourse among students who were currently sexually active)			
		1	Yes	237	55.9
		2	No	198	44.1
			Missing	1,282	
243-243	QN66	Percentage of students who used birth control pills (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)			
		1	Yes	50	11.2
		2	No	384	88.8
			Missing	1,283	
246-246	QN69	Percentage of students who described themselves as slightly or very overweight			
		1	Yes	411	26.2
		2	No	1,133	73.8
			Missing	173	
247-247	QN70	Percentage of students who were trying to lose weight			
		1	Yes	701	45.1
		2	No	851	54.9
			Missing	165	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
248-248	QN71	Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)			
		1	Yes	390	24.2
		2	No	1,148	75.8
			Missing	179	
249-249	QN72	Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)			
		1	Yes	276	19.3
		2	No	1,265	80.7
			Missing	176	
250-250	QN73	Percentage of students who did not eat salad (during the 7 days before the survey)			
		1	Yes	705	45.1
		2	No	832	54.9
			Missing	180	
251-251	QN74	Percentage of students who did not eat potatoes (during the 7 days before the survey)			
		1	Yes	651	42.6
		2	No	864	57.4
			Missing	202	
252-252	QN75	Percentage of students who did not eat carrots (during the 7 days before the survey)			
		1	Yes	974	64.9
		2	No	554	35.1
			Missing	189	
253-253	QN76	Percentage of students who did not eat other vegetables (during the 7 days before the survey)			
		1	Yes	343	23.2
		2	No	1,178	76.8
			Missing	196	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
254-254	QN77	Percentage of students who did not drink a can, bottle, or glass of soda or pop (not including diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	377	24.5
		2	No	1,132	75.5
			Missing	208	
255-255	QN78	Percentage of students who did not drink milk (during the 7 days before the survey)			
		1	Yes	405	26.6
		2	No	1,110	73.4
			Missing	202	
256-256	QN79	Percentage of students who did not eat breakfast (during the 7 days before the survey)			
		1	Yes	248	16.9
		2	No	1,252	83.1
			Missing	217	
257-257	QN80	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)			
		1	Yes	482	32.9
		2	No	1,019	67.1
			Missing	216	
258-258	QN81	Percentage of students who watched television 3 or more hours per day (on an average school day)			
		1	Yes	479	34.2
		2	No	1,012	65.8
			Missing	226	
259-259	QN82	Percentage of students who played video or computer games or used a computer 3 or more hours per day (for something that was not school work on an average school day)			
		1	Yes	701	47.7
		2	No	770	52.3
			Missing	246	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
260-260	QN83	Percentage of students who attended physical education classes on 1 or more days (in an average week when they were in school)			
		1	Yes	635	45.7
		2	No	843	54.3
			Missing	239	
261-261	QN84	Percentage of students who played on at least one sports team (run by their school or community groups during the 12 months before the survey)			
		1	Yes	705	48.9
		2	No	763	51.1
			Missing	249	
262-262	QN85	Percentage of students who were ever tested for HIV (not including tests done when donating blood)			
		1	Yes	501	35.1
		2	No	953	64.9
			Missing	263	
263-263	QN86	Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work during the 12 months before the survey)			
		1	Yes	1,001	67.8
		2	No	465	32.2
			Missing	251	
264-264	QN87	Percentage of students who had ever been told by a doctor or nurse that they had asthma			
		1	Yes	401	28.5
		2	No	1,043	71.5
			Missing	273	
265-265	QN88	Percentage of students who had 8 or more hours of sleep (on an average school night)			
		1	Yes	304	19.7
		2	No	1,164	80.3
			Missing	249	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
266-266	QN89	Percentage of students who made mostly A's or B's in school (during the 12 months before the survey)			
		1	Yes	1,004	68.2
		2	No	446	31.8
			Missing	267	
267-267	QN90	Percentage of students who most of the time or always feel safe and secure in their neighborhood			
		1	Yes	1,044	64.2
		2	No	652	35.8
			Missing	21	
268-268	QN91	Percentage of students who had texted, e-mailed, or posted electronically a revealing or sexual photo of themselves (during the 30 days before the survey)			
		1	Yes	215	13.6
		2	No	1,461	86.4
			Missing	41	
269-269	QN92	Percentage of students who had received a text or an e-mail with a revealing or sexual photo of someone (during the 30 days before the survey)			
		1	Yes	563	34.7
		2	No	1,103	65.3
			Missing	51	
270-270	QN93	Percentage of students who reported a revealing or sexual photo of them had been texted, e-mailed, or posted electronically without their permission (during the 30 days before the survey)			
		1	Yes	87	5.4
		2	No	1,599	94.6
			Missing	31	
271-271	QN94	Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey)			
		1	Yes	336	18.7
		2	No	1,364	81.3
			Missing	17	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
272-272	QN95	Percentage of students who tried to lose weight or keep from gaining weight by going without eating for 24 hours or more; taking any diet pills, powders, or liquids; vomiting or taking laxatives; smoking cigarettes; or skipping meals (during the 30 days before the survey)			
		1	Yes	256	16.5
		2	No	1,281	83.5
			Missing	180	
273-273	QN96	Percentage of students who most of the time or always went hungry because there was not enough food in their home (during the 30 days before the survey)			
		1	Yes	83	5.2
		2	No	1,395	94.8
			Missing	239	
274-274	QN97	Percentage of students who reported that some of their classroom teachers provide short physical activity breaks during regular class time (not counting their physical education teacher)			
		1	Yes	217	15.2
		2	No	1,214	84.8
			Missing	286	
275-275	QN98	Percentage of students who have been taught about AIDS or HIV infection in school			
		1	Yes	1,151	80.6
		2	No	306	19.4
			Missing	260	
276-276	QN99	Percentage of students who have talked about AIDS or HIV infection with their parents or other adults in their family			
		1	Yes	704	50.5
		2	No	737	49.5
			Missing	276	
277-277	QN100	Percentage of students who have had the HPV vaccine, a vaccine to prevent human papillomavirus or HPV infection (also called the cervical cancer vaccine, HPV shot, or GARDASIL)			
		1	Yes	521	37.0
		2	No	925	63.0
			Missing	271	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
350-350	QNFRCIG	Percentage of students who currently frequently smoked cigarettes (on 20 or more days during the 30 days before the survey)			
		1	Yes	30	2.0
		2	No	1,545	98.0
			Missing	142	
351-351	QNDAYCIG	Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)			
		1	Yes	21	1.3
		2	No	1,554	98.7
			Missing	142	
352-352	QNCIGINT	Percentage of students who usually obtained their own cigarettes by buying on the internet (during the 30 days before the survey among students who currently smoked cigarettes and who were aged <18 years)			
		1	Yes	5	6.8
		2	No	66	93.2
			Missing	1,646	
353-353	QNTOB4	Percentage of students who currently used tobacco (current cigarette, smokeless tobacco, cigar, or electronic vapor product use on at least 1 day during the 30 days before the survey)			
		1	Yes	410	27.6
		2	No	1,177	72.4
			Missing	130	
354-354	QNTOB3	Percentage of students who currently used cigarettes, cigars, or smokeless tobacco (on at least 1 day during the 30 days before the survey)			
		1	Yes	237	16.5
		2	No	1,369	83.5
			Missing	111	
355-355	QNTOB2	Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)			
		1	Yes	203	14.3
		2	No	1,385	85.7
			Missing	129	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
356-356	QNNOTOB4	Percentage of students who did not currently use tobacco (current cigarette, smokeless tobacco, cigar, or electronic vapor product use on at least 1 day during the 30 days before the survey)			
		1	Yes	1,177	77.0
		2	No	320	23.0
			Missing	220	
357-357	QNNOTOB3	Percentage of students who did not currently use cigarettes, cigars, or smokeless tobacco (on at least 1 day during the 30 days before the survey)			
		1	Yes	1,369	87.4
		2	No	172	12.6
			Missing	176	
358-358	QNNOTOB2	Percentage of students who did not currently smoke cigarettes or cigars (on at least 1 day during the 30 days before the survey)			
		1	Yes	1,385	88.6
		2	No	158	11.4
			Missing	174	
359-359	QNIUDIMP	Percentage of students who used an IUD (e.g., Mirena or ParaGard) or implant (e.g., Implanon or Nexplanon) (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)			
		1	Yes	10	2.0
		2	No	424	98.0
			Missing	1,283	
360-360	QNSHPARG	Percentage of students who used a shot (e.g., Depo-Provera), patch (e.g., OrthoEvra), or birth control ring (e.g., NuvaRing) (during last sexual intercourse among students who were currently sexually active)			
		1	Yes	31	8.0
		2	No	403	92.0
			Missing	1,283	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
361-361	QNOTHHPL	Percentage of students who used birth control pills; an IUD or implant; or a shot, patch, or birth control ring (before last sexual intercourse to prevent pregnancy among students who were currently sexually active)			
		1	Yes	91	21.1
		2	No	343	78.9
			Missing	1,283	
362-362	QNDUALBC	Percentage of students who used both a condom during and birth control pills; an IUD or implant; or a shot, patch, or birth control ring before last sexual intercourse (to prevent STD and pregnancy among students who were currently sexually active)			
		1	Yes	30	7.5
		2	No	399	92.5
			Missing	1,288	
363-363	QNBCNONE	Percentage of students who did not use any method to prevent pregnancy (during last sexual intercourse among students who were currently sexually active)			
		1	Yes	76	17.1
		2	No	358	82.9
			Missing	1,283	
364-364	QNFR0	Percentage of students who did not eat fruit or drink 100% fruit juices (during the 7 days before the survey)			
		1	Yes	125	8.5
		2	No	1,392	91.5
			Missing	200	
365-365	QNFR1	Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (during the 7 days before the survey)			
		1	Yes	859	56.9
		2	No	658	43.1
			Missing	200	
366-366	QNFR2	Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (during the 7 days before the survey)			
		1	Yes	473	32.2
		2	No	1,044	67.8
			Missing	200	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
367-367	QNFR3	Percentage of students who ate fruit or drank 100% fruit juices three or more times per day (during the 7 days before the survey)			
		1	Yes	335	23.0
		2	No	1,182	77.0
			Missing	200	
368-368	QNVEG0	Percentage of students who did not eat vegetables (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)			
		1	Yes	134	9.1
		2	No	1,354	90.9
			Missing	229	
369-369	QNVEG1	Percentage of students who ate vegetables one or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)			
		1	Yes	790	53.0
		2	No	698	47.0
			Missing	229	
370-370	QNVEG2	Percentage of students who ate vegetables two or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)			
		1	Yes	344	22.9
		2	No	1,144	77.1
			Missing	229	
371-371	QNVEG3	Percentage of students who ate vegetables three or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)			
		1	Yes	181	12.3
		2	No	1,307	87.7
			Missing	229	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
372-372	QNSODA1	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (not including diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	309	21.6
		2	No	1,200	78.4
			Missing	208	
373-373	QNSODA2	Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (not including diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	220	15.5
		2	No	1,289	84.5
			Missing	208	
374-374	QNSODA3	Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day (not including diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	143	10.1
		2	No	1,366	89.9
			Missing	208	
375-375	QNMILK1	Percentage of students who drank one or more glasses per day of milk (during the 7 days before the survey)			
		1	Yes	388	26.1
		2	No	1,127	73.9
			Missing	202	
376-376	QNMILK2	Percentage of students who drank two or more glasses per day of milk (during the 7 days before the survey)			
		1	Yes	209	14.3
		2	No	1,306	85.7
			Missing	202	
377-377	QNMILK3	Percentage of students who drank three or more glasses per day of milk (during the 7 days before the survey)			
		1	Yes	95	6.7
		2	No	1,420	93.3
			Missing	202	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
378-378	QNBK7DAY	Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)			
		1	Yes	394	26.3
		2	No	1,106	73.7
			Missing	217	
379-379	QNPA0DAY	Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)			
		1	Yes	379	24.3
		2	No	1,122	75.7
			Missing	216	
380-380	QNPA7DAY	Percentage of students who were physically active at least 60 minutes per day on all 7 days (doing any kind of physical activity that increased their heart rate and made them breathe hard some of the time (during the 7 days before the survey)			
		1	Yes	270	19.6
		2	No	1,231	80.4
			Missing	216	
381-381	QNDLYPE	Percentage of students who attended physical education classes on all 5 days (in an average week when they were in school)			
		1	Yes	270	17.5
		2	No	1,208	82.5
			Missing	239	
388-388	QNOBESE	Percentage of students who were obese (>= 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth chart			
		1	Yes	205	13.7
		2	No	1,339	86.3
			Missing	173	

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label		Unweighted Frequency	Weighted Percentage
389-389	QNOWT	Percentage of students who were overweight (>= 85th percentile but <95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth chart			
		1	Yes	259	16.8
		2	No	1,285	83.2
			Missing	173	
390-399	WEIGHT				
400-402	STRATUM				
403-408	PSU				
409-413	BMIPCT				
414-415	RACEETH				
		1	Am Indian / Alaska Native	15	0.5
		2	Asian	217	8.1
		3	Black or African American	725	51.4
		4	Native Hawaiian/other PI	24	0.8
		5	White	209	15.3
		6	Hispanic/Latino	164	8.5
		7	Multiple - Hispanic	205	11.6
		8	Multiple - Non-Hispanic	90	3.7
			Missing	68	
416-418	Q6ORIG				
419-421	Q7ORIG				