

# 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Philadelphia High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
17-17	Q1	How old are you?		
		1 12 years old or younger	5	0.3
		2 13 years old	2	0.1
		3 14 years old	128	11.7
		4 15 years old	388	25.5
		5 16 years old	492	27.5
		6 17 years old	346	21.7
		7 18 years old or older	220	13.3
		Missing	4	
18-18	Q2	What is your sex?		
		1 Female	830	50.0
		2 Male	744	50.0
		Missing	11	
19-19	Q3	In what grade are you?		
		1 9th grade	355	29.7
		2 10th grade	513	26.0
		3 11th grade	367	22.9
		4 12th grade	327	21.3
		5 Ungraded or other grade	1	0.0
		Missing	22	
20-20	Q4	Are you Hispanic or Latino?		
		1 Yes	377	18.1
		2 No	1,172	81.9
		Missing	36	

# 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Philadelphia High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5	What is your race?		
		H	2	0.1
		F	1	0.0
		E	249	17.6
		D	35	1.7
		DE	2	0.2
		C	760	61.7
		C E	37	1.2
		CD	10	0.5
		CDE	3	0.1
		B	181	12.4
		B E	10	0.4
		BC	13	0.5
		BC E	2	0.1
		BCDE	1	0.1
		A	30	1.7
		A E	5	0.2
		A C	36	1.1
		A C H	1	0.0
		A C E	2	0.1
		A CD	2	0.1
		AB E	1	0.0
		ABC	1	0.1
		ABC E	2	0.1
			199	
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		

## 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Philadelphia High School Survey

#### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
39-39	Q8	How often do you wear a seat belt when riding in a car driven by someone else?		
		1 Never	123	8.2
		2 Rarely	234	13.9
		3 Sometimes	341	21.9
		4 Most of the time	435	28.7
		5 Always	443	27.3
		Missing	9	
40-40	Q9	During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?		
		1 0 times	1,300	83.7
		2 1 time	94	6.0
		3 2 or 3 times	84	5.1
		4 4 or 5 times	26	1.4
		5 6 or more times	57	3.8
		Missing	24	
41-41	Q10	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?		
		1 I did not drive a car or other vehicle during the past 30 days	888	62.8
		2 0 times	460	36.4
		3 1 time	3	0.2
		4 2 or 3 times	3	0.2
		5 4 or 5 times	2	0.2
		6 6 or more times	3	0.3
		Missing	226	
42-42	Q11	During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?		
		1 I did not drive a car or other vehicle during the past 30 days	899	62.1
		2 0 days	370	28.6
		3 1 or 2 days	46	3.3
		4 3 to 5 days	24	1.3
		5 6 to 9 days	10	1.1
		6 10 to 19 days	10	0.8
		7 20 to 29 days	7	0.7
		8 All 30 days	27	2.1
		Missing	192	

# 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Philadelphia High School Survey

### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
43-43	Q12	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?		
		1 0 days	1,393	89.9
		2 1 day	45	2.5
		3 2 or 3 days	46	3.2
		4 4 or 5 days	15	0.8
		5 6 or more days	55	3.5
		Missing	31	
44-44	Q13	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?		
		1 0 days	1,512	98.4
		2 1 day	10	0.5
		3 2 or 3 days	5	0.2
		4 4 or 5 days	2	0.1
		5 6 or more days	14	0.8
		Missing	42	
45-45	Q14	During the past 12 months, on how many days did you carry a gun?		
		1 0 days	1,501	95.4
		2 1 day	27	1.7
		3 2 or 3 days	14	0.8
		4 4 or 5 days	4	0.4
		5 6 or more days	32	1.8
		Missing	7	
46-46	Q15	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?		
		1 0 days	1,454	93.1
		2 1 day	58	3.2
		3 2 or 3 days	34	1.8
		4 4 or 5 days	12	1.1
		5 6 or more days	15	0.9
		Missing	12	

# 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Philadelphia High School Survey

### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
47-47	Q16	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?		
		1 0 times	1,459	94.3
		2 1 time	41	2.7
		3 2 or 3 times	21	1.0
		4 4 or 5 times	15	0.9
		5 6 or 7 times	7	0.7
		6 8 or 9 times	0	0.0
		7 10 or 11 times	1	0.1
		8 12 or more times	6	0.2
		Missing	35	
48-48	Q17	During the past 12 months, how many times were you in a physical fight?		
		1 0 times	1,057	68.5
		2 1 time	210	13.8
		3 2 or 3 times	174	11.5
		4 4 or 5 times	48	3.1
		5 6 or 7 times	10	0.5
		6 8 or 9 times	12	0.6
		7 10 or 11 times	5	0.5
		8 12 or more times	19	1.3
		Missing	50	
49-49	Q18	During the past 12 months, how many times were you in a physical fight on school property?		
		1 0 times	1,343	86.4
		2 1 time	128	9.4
		3 2 or 3 times	51	3.4
		4 4 or 5 times	5	0.2
		5 6 or 7 times	5	0.3
		6 8 or 9 times	0	0.0
		7 10 or 11 times	0	0.0
		8 12 or more times	3	0.2
		Missing	50	

# 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Philadelphia High School Survey

### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
50-50	Q19	Have you ever been physically forced to have sexual intercourse when you did not want to?		
		1 Yes	125	8.3
		2 No	1,425	91.7
		Missing	35	
51-51	Q20	During the past 12 months, how many times did anyone force you to do sexual things that you did not want to do?		
		1 0 times	1,399	90.8
		2 1 time	92	6.1
		3 2 or 3 times	28	1.6
		4 4 or 5 times	12	0.7
		5 6 or more times	12	0.8
		Missing	42	
52-52	Q21	During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do?		
		1 I did not date or go out with anyone during the past 12 months	546	38.2
		2 0 times	883	59.7
		3 1 time	22	1.2
		4 2 or 3 times	9	0.5
		5 4 or 5 times	2	0.1
		6 6 or more times	3	0.3
		Missing	120	
53-53	Q22	During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose?		
		1 I did not date or go out with anyone during the past 12 months	542	37.4
		2 0 times	864	56.9
		3 1 time	32	2.4
		4 2 or 3 times	25	1.2
		5 4 or 5 times	9	0.7
		6 6 or more times	15	1.4
		Missing	98	

# 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Philadelphia High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
54-54	Q23	During the past 12 months, have you ever been bullied on school property?		
		1 Yes	181	11.7
		2 No	1,388	88.3
		Missing	16	
55-55	Q24	During the past 12 months, have you ever been electronically bullied?		
		1 Yes	160	10.3
		2 No	1,400	89.7
		Missing	25	
56-56	Q25	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?		
		1 Yes	515	31.4
		2 No	1,049	68.6
		Missing	21	
57-57	Q26	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	222	13.8
		2 No	1,333	86.2
		Missing	30	
58-58	Q27	During the past 12 months, did you make a plan about how you would attempt suicide?		
		1 Yes	209	13.0
		2 No	1,338	87.0
		Missing	38	
59-59	Q28	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	1,155	90.7
		2 1 time	55	4.4
		3 2 or 3 times	45	3.8
		4 4 or 5 times	7	0.6
		5 6 or more times	6	0.4
		Missing	317	

# 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Philadelphia High School Survey

### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
60-60	Q29	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
		1 I did not attempt suicide during the past 12 months	1,144	90.1
		2 Yes	38	3.2
		3 No	80	6.7
		Missing	323	
61-61	Q30	Have you ever tried cigarette smoking, even one or two puffs?		
		1 Yes	285	19.4
		2 No	1,194	80.6
		Missing	106	
62-62	Q31	How old were you when you first tried cigarette smoking, even one or two puffs?		
		1 I have never tried cigarette smoking, not even one or two puffs	1,206	79.6
		2 8 years old or younger	56	3.9
		3 9 or 10 years old	32	1.8
		4 11 or 12 years old	46	3.3
		5 13 or 14 years old	94	6.3
		6 15 or 16 years old	56	3.9
		7 17 years old or older	18	1.3
		Missing	77	
63-63	Q32	During the past 30 days, on how many days did you smoke cigarettes?		
		1 0 days	1,480	96.5
		2 1 or 2 days	22	1.7
		3 3 to 5 days	12	0.7
		4 6 to 9 days	4	0.3
		5 10 to 19 days	4	0.3
		6 20 to 29 days	2	0.1
		7 All 30 days	8	0.5
		Missing	53	



# 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Philadelphia High School Survey

### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
64-64	Q33	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?		
		1 I did not smoke cigarettes during the past 30 days	1,467	96.7
		2 Less than 1 cigarette per day	21	1.5
		3 1 cigarette per day	5	0.2
		4 2 to 5 cigarettes per day	14	1.2
		5 6 to 10 cigarettes per day	4	0.3
		6 11 to 20 cigarettes per day	2	0.1
		7 More than 20 cigarettes per day	2	0.0
		Missing	70	
65-65	Q34	Have you ever used an electronic vapor product?		
		1 Yes	548	34.5
		2 No	986	65.5
		Missing	51	
66-66	Q35	During the past 30 days, on how many days did you use an electronic vapor product?		
		1 0 days	1,298	95.0
		2 1 or 2 days	35	2.7
		3 3 to 5 days	11	0.9
		4 6 to 9 days	9	0.7
		5 10 to 19 days	2	0.1
		6 20 to 29 days	4	0.4
		7 All 30 days	2	0.1
		Missing	224	
67-67	Q36	During the past 30 days, how did you usually get your own electronic vapor products?		
		1 I did not use any electronic vapor products during the past 30 days	1,288	95.1
		2 I bought them in a store such as a convenience store, supermarket, discount store, gas station, or vape store	17	1.5
		3 I got them on the Internet	4	0.2
		4 I gave someone else money to buy them for me	7	0.6
		5 I borrowed them from someone else	14	1.1
		6 A person 18 years old or older gave them to me	6	0.6
		7 I took them from a store or another person	2	0.3
		8 I got them some other way	10	0.7
		Missing	237	

# 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Philadelphia High School Survey

### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
68-68	Q37	During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco products, such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Marlboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs?		
		1 0 days	1,532	97.7
		2 1 or 2 days	10	1.0
		3 3 to 5 days	7	0.7
		4 6 to 9 days	1	0.0
		5 10 to 19 days	3	0.2
		6 20 to 29 days	1	0.1
		7 All 30 days	4	0.3
		Missing	27	
69-69	Q38	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?		
		1 0 days	1,485	95.3
		2 1 or 2 days	24	1.7
		3 3 to 5 days	8	0.6
		4 6 to 9 days	12	1.1
		5 10 to 19 days	5	0.4
		6 20 to 29 days	6	0.3
		7 All 30 days	8	0.6
		Missing	37	
70-70	Q39	During the past 12 months, did you ever try to quit using all tobacco products, including cigarettes, cigars, smokeless tobacco, shisha or hookah tobacco, and electronic vapor products?		
		1 I did not use any tobacco products during the past 12 months	1,135	83.1
		2 Yes	87	6.3
		3 No	130	10.6
		Missing	233	
71-71	Q40	During your life, on how many days have you had at least one drink of alcohol?		
		1 0 days	603	47.0
		2 1 or 2 days	326	20.7
		3 3 to 9 days	251	15.1
		4 10 to 19 days	102	6.6
		5 20 to 39 days	77	5.2
		6 40 to 99 days	42	2.7
		7 100 or more days	45	2.7
		Missing	139	

# 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Philadelphia High School Survey

### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
72-72	Q41	How old were you when you had your first drink of alcohol other than a few sips?		
		1 I have never had a drink of alcohol other than a few sips	665	51.4
		2 8 years old or younger	50	2.7
		3 9 or 10 years old	58	4.4
		4 11 or 12 years old	91	6.6
		5 13 or 14 years old	246	16.1
		6 15 or 16 years old	250	15.1
		7 17 years old or older	53	3.7
		Missing	172	
73-73	Q42	During the past 30 days, on how many days did you have at least one drink of alcohol?		
		1 0 days	1,049	79.6
		2 1 or 2 days	193	13.2
		3 3 to 5 days	59	4.1
		4 6 to 9 days	26	2.2
		5 10 to 19 days	12	0.8
		6 20 to 29 days	2	0.1
		7 All 30 days	1	0.0
		Missing	243	
74-74	Q43	During the past 30 days, how did you usually get the alcohol you drank?		
		1 I did not drink alcohol during the past 30 days	1,044	79.3
		2 I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	15	1.2
		3 I bought it at a restaurant, bar, or club	9	0.4
		4 I bought it at a public event such as a concert or sporting event	6	0.6
		5 I gave someone else money to buy it for me	35	2.5
		6 Someone gave it to me	124	8.4
		7 I took it from a store or family member	59	4.2
		8 I got it some other way	54	3.4
		Missing	239	

## 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Philadelphia High School Survey

#### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
75-75	Q44	During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row (if you are female) or 5 or more drinks of alcohol in a row (if you are male)?		
		1 0 days	1,342	93.1
		2 1 day	49	3.5
		3 2 days	23	1.8
		4 3 to 5 days	19	1.2
		5 6 to 9 days	5	0.3
		6 10 to 19 days	3	0.1
		7 20 or more days	2	0.1
		Missing	142	
76-76	Q45	During the past 30 days, what is the largest number of alcoholic drinks you had in a row?		
		1 I did not drink alcohol during the past 30 days	1,035	81.5
		2 1 or 2 drinks	123	8.2
		3 3 drinks	27	2.0
		4 4 drinks	18	1.5
		5 5 drinks	30	1.6
		6 6 or 7 drinks	24	2.4
		7 8 or 9 drinks	12	0.9
		8 10 or more drinks	25	1.9
		Missing	291	
77-77	Q46	During your life, how many times have you used marijuana?		
		1 0 times	960	65.8
		2 1 or 2 times	140	8.2
		3 3 to 9 times	125	9.3
		4 10 to 19 times	68	4.5
		5 20 to 39 times	59	3.7
		6 40 to 99 times	44	2.7
		7 100 or more times	96	5.7
		Missing	93	
78-78	Q47	How old were you when you tried marijuana for the first time?		
		1 I have never tried marijuana	961	65.7
		2 8 years old or younger	15	1.0
		3 9 or 10 years old	17	1.4
		4 11 or 12 years old	54	3.2
		5 13 or 14 years old	203	14.6
		6 15 or 16 years old	209	11.8
		7 17 years old or older	43	2.2
		Missing	83	

# 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Philadelphia High School Survey

### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
79-79	Q48	During the past 30 days, how many times did you use marijuana?		
		1 0 times	1,215	82.1
		2 1 or 2 times	119	7.5
		3 3 to 9 times	61	3.9
		4 10 to 19 times	41	2.1
		5 20 to 39 times	30	2.1
		6 40 or more times	34	2.2
		Missing	85	
80-80	Q49	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?		
		1 0 times	1,503	97.7
		2 1 or 2 times	17	1.0
		3 3 to 9 times	9	0.6
		4 10 to 19 times	5	0.4
		5 20 to 39 times	2	0.1
		6 40 or more times	3	0.1
		Missing	46	
81-81	Q50	During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?		
		1 0 times	1,420	92.0
		2 1 or 2 times	55	3.8
		3 3 to 9 times	29	2.4
		4 10 to 19 times	15	1.0
		5 20 to 39 times	8	0.6
		6 40 or more times	6	0.3
		Missing	52	
82-82	Q51	During your life, how many times have you used heroin (also called smack, junk, or China White)?		
		1 0 times	1,489	96.8
		2 1 or 2 times	13	0.9
		3 3 to 9 times	12	1.2
		4 10 to 19 times	9	0.7
		5 20 to 39 times	2	0.2
		6 40 or more times	2	0.2
		Missing	58	

# 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Philadelphia High School Survey

### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
83-83	Q52	During your life, how many times have you used methamphetamines (also called speed, crystal, crank, or ice)?		
		1 0 times	1,502	97.6
		2 1 or 2 times	11	0.8
		3 3 to 9 times	5	0.5
		4 10 to 19 times	10	0.8
		5 20 to 39 times	0	0.0
		6 40 or more times	4	0.3
		Missing	53	
84-84	Q53	During your life, how many times have you used ecstasy (also called MDMA)?		
		1 0 times	1,476	96.2
		2 1 or 2 times	26	1.8
		3 3 to 9 times	11	0.8
		4 10 to 19 times	6	0.6
		5 20 to 39 times	5	0.5
		6 40 or more times	4	0.1
		Missing	57	
85-85	Q54	During your life, how many times have you used synthetic marijuana (also called K2, Spice, fake weed, King Kong, Yucatan Fire, Skunk, or Moon Rocks)?		
		1 0 times	1,437	93.7
		2 1 or 2 times	55	3.5
		3 3 to 9 times	8	0.4
		4 10 to 19 times	15	1.7
		5 20 to 39 times	4	0.3
		6 40 or more times	5	0.3
		Missing	61	
86-86	Q55	During your life, how many times have you taken steroid pills or shots without a doctor's prescription?		
		1 0 times	1,492	96.9
		2 1 or 2 times	18	1.2
		3 3 to 9 times	7	0.6
		4 10 to 19 times	6	0.5
		5 20 to 39 times	2	0.2
		6 40 or more times	6	0.6
		Missing	54	

# 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Philadelphia High School Survey

### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
87-87	Q56	During your life, how many times have you taken prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it?		
		1 0 times	1,364	89.7
		2 1 or 2 times	71	4.3
		3 3 to 9 times	53	3.5
		4 10 to 19 times	17	1.0
		5 20 to 39 times	5	0.3
		6 40 or more times	13	1.2
		Missing	62	
88-88	Q57	During your life, how many times have you used a needle to inject any illegal drug into your body?		
		1 0 times	1,474	97.4
		2 1 time	20	1.6
		3 2 or more times	10	1.0
		Missing	81	
89-89	Q58	During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?		
		1 Yes	322	21.0
		2 No	1,190	79.0
		Missing	73	
90-90	Q59	Have you ever had sexual intercourse?		
		1 Yes	547	40.4
		2 No	790	59.6
		Missing	248	
91-91	Q60	How old were you when you had sexual intercourse for the first time?		
		1 I have never had sexual intercourse	780	59.7
		2 11 years old or younger	38	2.8
		3 12 years old	36	2.7
		4 13 years old	66	5.7
		5 14 years old	118	9.4
		6 15 years old	143	10.6
		7 16 years old	84	5.8
		8 17 years old or older	55	3.3
		Missing	265	

# 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Philadelphia High School Survey

### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
92-92	Q61	During your life, with how many people have you had sexual intercourse?		
		1 I have never had sexual intercourse	786	59.8
		2 1 person	226	15.4
		3 2 people	87	6.3
		4 3 people	70	5.3
		5 4 people	42	3.3
		6 5 people	29	2.5
		7 6 or more people	90	7.4
		Missing	255	
93-93	Q62	During the past 3 months, with how many people did you have sexual intercourse?		
		1 I have never had sexual intercourse	786	59.6
		2 I have had sexual intercourse, but not during the past 3 months	171	12.2
		3 1 person	281	20.3
		4 2 people	47	3.6
		5 3 people	26	2.0
		6 4 people	10	1.3
		7 5 people	3	0.1
		8 6 or more people	11	1.0
		Missing	250	
94-94	Q63	Did you drink alcohol or use drugs before you had sexual intercourse the last time?		
		1 I have never had sexual intercourse	782	59.8
		2 Yes	55	4.3
		3 No	490	35.9
		Missing	258	
95-95	Q64	The last time you had sexual intercourse, did you or your partner use a condom?		
		1 I have never had sexual intercourse	782	60.5
		2 Yes	308	23.9
		3 No	218	15.6
		Missing	277	



# 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Philadelphia High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
96-96	Q65	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?		
		1 I have never had sexual intercourse	780	60.5
		2 No method was used to prevent pregnancy	103	8.0
		3 Birth control pills	68	4.9
		4 Condoms	246	18.7
		5 An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	20	2.1
		6 A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	26	1.6
		7 Withdrawal or some other method	43	3.0
		8 Not sure	16	1.1
		Missing	283	
97-97	Q66	During your life, with whom have you had sexual contact?		
		1 I have never had sexual contact	637	46.0
		2 Females	406	29.9
		3 Males	296	18.3
		4 Females and males	81	5.8
		Missing	165	
98-98	Q67	Which of the following best describes you?		
		1 Heterosexual (straight)	1,237	84.7
		2 Gay or lesbian	56	3.3
		3 Bisexual	135	8.5
		4 Not sure	62	3.5
		Missing	95	
99-99	Q68	How do you describe your weight?		
		1 Very underweight	67	5.0
		2 Slightly underweight	195	12.9
		3 About the right weight	757	52.3
		4 Slightly overweight	379	24.6
		5 Very overweight	86	5.2
		Missing	101	

## 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Philadelphia High School Survey Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
100-100	Q69	Which of the following are you trying to do about your weight?		
		1 Lose weight	678	42.8
		2 Gain weight	357	25.2
		3 Stay the same weight	206	14.4
		4 I am not trying to do anything about my weight	249	17.5
		Missing	95	
101-101	Q70	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?		
		1 I did not drink 100% fruit juice during the past 7 days	417	27.8
		2 1 to 3 times during the past 7 days	591	39.3
		3 4 to 6 times during the past 7 days	224	15.6
		4 1 time per day	65	4.6
		5 2 times per day	71	4.9
		6 3 times per day	42	2.8
		7 4 or more times per day	67	4.9
		Missing	108	
102-102	Q71	During the past 7 days, how many times did you eat fruit?		
		1 I did not eat fruit during the past 7 days	236	16.4
		2 1 to 3 times during the past 7 days	554	36.9
		3 4 to 6 times during the past 7 days	296	20.3
		4 1 time per day	111	7.7
		5 2 times per day	127	8.6
		6 3 times per day	66	4.7
		7 4 or more times per day	77	5.5
		Missing	118	
103-103	Q72	During the past 7 days, how many times did you eat green salad?		
		1 I did not eat green salad during the past 7 days	770	53.4
		2 1 to 3 times during the past 7 days	479	30.6
		3 4 to 6 times during the past 7 days	110	8.1
		4 1 time per day	69	4.7
		5 2 times per day	18	1.5
		6 3 times per day	10	0.7
		7 4 or more times per day	15	1.0
		Missing	114	

# 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Philadelphia High School Survey

### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
104-104	Q73	During the past 7 days, how many times did you eat potatoes?		
		1 I did not eat potatoes during the past 7 days	672	45.0
		2 1 to 3 times during the past 7 days	605	41.2
		3 4 to 6 times during the past 7 days	102	7.2
		4 1 time per day	39	3.2
		5 2 times per day	21	1.6
		6 3 times per day	10	0.7
		7 4 or more times per day	18	1.1
		Missing	118	
105-105	Q74	During the past 7 days, how many times did you eat carrots?		
		1 I did not eat carrots during the past 7 days	938	64.9
		2 1 to 3 times during the past 7 days	397	25.9
		3 4 to 6 times during the past 7 days	61	4.7
		4 1 time per day	28	1.8
		5 2 times per day	13	0.9
		6 3 times per day	7	0.6
		7 4 or more times per day	16	1.2
		Missing	125	
106-106	Q75	During the past 7 days, how many times did you eat other vegetables?		
		1 I did not eat other vegetables during the past 7 days	292	21.3
		2 1 to 3 times during the past 7 days	585	39.2
		3 4 to 6 times during the past 7 days	301	20.7
		4 1 time per day	134	9.1
		5 2 times per day	95	6.4
		6 3 times per day	18	1.1
		7 4 or more times per day	34	2.3
		Missing	126	

# 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Philadelphia High School Survey

### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
107-107	Q76	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?		
		1 I did not drink soda or pop during the past 7 days	452	32.7
		2 1 to 3 times during the past 7 days	563	36.7
		3 4 to 6 times during the past 7 days	196	13.0
		4 1 time per day	78	5.3
		5 2 times per day	67	5.3
		6 3 times per day	41	2.7
		7 4 or more times per day	61	4.3
		Missing	127	
108-108	Q77	During the past 7 days, how many glasses of milk did you drink?		
		1 I did not drink milk during the past 7 days	515	34.9
		2 1 to 3 glasses during the past 7 days	434	31.1
		3 4 to 6 glasses during the past 7 days	215	13.7
		4 1 glass per day	123	8.8
		5 2 glasses per day	76	5.6
		6 3 glasses per day	46	3.4
		7 4 or more glasses per day	37	2.5
		Missing	139	
109-109	Q78	During the past 7 days, on how many days did you eat breakfast?		
		1 0 days	227	17.7
		2 1 day	139	10.0
		3 2 days	226	15.7
		4 3 days	184	11.8
		5 4 days	132	8.0
		6 5 days	125	8.2
		7 6 days	82	5.5
		8 7 days	350	23.2
		Missing	120	
110-110	Q79	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	369	26.6
		2 1 day	144	10.6
		3 2 days	164	11.1
		4 3 days	144	10.5
		5 4 days	119	7.9
		6 5 days	192	13.0
		7 6 days	62	3.6
		8 7 days	247	16.8
		Missing	144	

# 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Philadelphia High School Survey

### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
111-111	Q80	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	419	27.6
		2 Less than 1 hour per day	244	17.6
		3 1 hour per day	164	12.4
		4 2 hours per day	232	15.4
		5 3 hours per day	143	10.4
		6 4 hours per day	80	6.1
		7 5 or more hours per day	149	10.5
		Missing	154	
112-112	Q81	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?		
		1 I do not play video or computer games or use a computer for something that is not school work	278	19.9
		2 Less than 1 hour per day	108	8.2
		3 1 hour per day	121	8.1
		4 2 hours per day	190	14.1
		5 3 hours per day	170	10.8
		6 4 hours per day	130	8.7
		7 5 or more hours per day	436	30.2
		Missing	152	
113-113	Q82	In an average week when you are in school, on how many days do you go to physical education (PE) classes?		
		1 0 days	856	56.9
		2 1 day	75	5.9
		3 2 days	70	5.5
		4 3 days	106	9.1
		5 4 days	33	2.9
		6 5 days	282	19.8
		Missing	163	

# 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Philadelphia High School Survey

### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
114-114	Q83	During the past 12 months, on how many sports teams did you play?		
		1 0 teams	734	53.0
		2 1 team	419	28.5
		3 2 teams	153	11.0
		4 3 or more teams	98	7.5
		Missing	181	
115-115	Q84	During the past 12 months, how many times did you have a concussion from playing a sport or being physically active?		
		1 0 times	1,248	87.8
		2 1 time	86	5.6
		3 2 times	40	3.3
		4 3 times	13	1.0
		5 4 or more times	32	2.2
		Missing	166	
116-116	Q85	Have you ever been tested for HIV, the virus that causes AIDS?		
		1 Yes	557	37.2
		2 No	708	52.8
		3 Not sure	133	10.0
		Missing	187	
117-117	Q86	When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?		
		1 During the past 12 months	994	68.1
		2 Between 12 and 24 months ago	213	16.4
		3 More than 24 months ago	86	6.4
		4 Never	22	1.6
		5 Not sure	102	7.5
		Missing	168	
118-118	Q87	Has a doctor or nurse ever told you that you have asthma?		
		1 Yes	412	28.1
		2 No	913	66.3
		3 Not sure	68	5.6
		Missing	192	

# 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Philadelphia High School Survey

### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
119-119	Q88	On an average school night, how many hours of sleep do you get?		
		1 4 or less hours	218	14.9
		2 5 hours	238	18.5
		3 6 hours	429	30.1
		4 7 hours	300	20.0
		5 8 hours	173	12.2
		6 9 hours	35	2.9
		7 10 or more hours	18	1.5
		Missing	174	
120-120	Q89	During the past 12 months, how would you describe your grades in school?		
		1 Mostly A's	504	35.0
		2 Mostly B's	517	37.0
		3 Mostly C's	210	16.5
		4 Mostly D's	41	3.6
		5 Mostly F's	22	1.7
		6 None of these grades	6	0.4
		7 Not sure	76	5.9
		Missing	209	
121-121	Q90	During the past 12 months, how many times did you do something to purposely hurt yourself without wanting to die, such as cutting or burning yourself on purpose?		
		1 0 times	1,292	84.4
		2 1 time	114	7.3
		3 2 or 3 times	94	5.2
		4 4 or 5 times	22	1.1
		5 6 or more times	34	1.9
		Missing	29	
122-122	Q91	A person's appearance, style, dress, or the way they walk or talk may affect how people describe them. How do you think other people at school would describe you?		
		1 Very feminine	273	20.0
		2 Mostly feminine	293	19.7
		3 Somewhat feminine	137	9.4
		4 Equally feminine and masculine	212	13.5
		5 Somewhat masculine	91	5.9
		6 Mostly masculine	219	15.4
		7 Very masculine	225	16.1
		Missing	135	

## 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Philadelphia High School Survey

#### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
123-123	Q92	Have you ever been taught in school about where you could get sexual health services, such as birth control, condoms, or HIV or other sexually transmitted disease (STD) testing or treatment?		
		1 Yes	1,109	73.3
		2 No	187	16.2
		3 Not sure	122	10.5
		Missing	167	
124-124	Q93	Have you ever been taught about AIDS or HIV infection in school?		
		1 Yes	1,174	80.0
		2 No	153	14.3
		3 Not sure	60	5.6
		Missing	198	
125-125	Q94	During the past 30 days, where did you usually sleep?		
		1 In my parent's or guardian's home	1,316	92.5
		2 In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian cannot afford housing	50	4.3
		3 In a shelter or emergency housing	18	1.2
		4 In a motel or hotel	7	0.6
		5 In a car, park, campground, or other public place	4	0.3
		6 I do not have a usual place to sleep	6	0.7
		7 Somewhere else	8	0.4
		Missing	176	
126-126	Q95	During the past 30 days, did you ever sleep away from your parents or guardians because you were kicked out, ran away, or were abandoned?		
		1 Yes	117	9.3
		2 No	1,267	90.7
		Missing	201	
127-127	Q96	Have you ever considered yourself to be homeless?		
		1 Yes	121	9.4
		2 No	1,267	90.6
		Missing	197	



# 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Philadelphia High School Survey

### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
128-128	Q97	During the past 30 days, how often did you go hungry because there was not enough food in your home?		
		1 Never	974	68.6
		2 Rarely	257	19.2
		3 Sometimes	117	8.6
		4 Most of the time	34	2.3
		5 Always	16	1.2
		Missing	187	
129-129	Q98	How often do you feel safe and secure in your neighborhood?		
		1 Never	110	10.4
		2 Rarely	105	7.2
		3 Sometimes	247	15.6
		4 Most of the time	516	36.3
		5 Always	409	30.5
		Missing	198	
130-130	Q99	During the past 30 days, have you received a text or an e-mail with a revealing or sexual photo of someone?		
		1 Yes	407	29.5
		2 No	975	70.5
		Missing	203	
185-185	QN8	Percentage of students who rarely or never wore a seat belt (when riding in a car driven by someone else)		
		1 Yes	357	22.1
		2 No	1,219	77.9
		Missing	9	
186-186	QN9	Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle, one or more times during the 30 days before the survey)		
		1 Yes	261	16.3
		2 No	1,300	83.7
		Missing	24	

## 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Philadelphia High School Survey

#### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
187-187	QN10	Percentage of students who drove a car or other vehicle when they had been drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)		
		1 Yes	11	2.3
		2 No	460	97.7
		Missing	1,114	
188-188	QN11	Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)		
		1 Yes	124	24.6
		2 No	370	75.4
		Missing	1,091	
189-189	QN12	Percentage of students who carried a weapon (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)		
		1 Yes	161	10.1
		2 No	1,393	89.9
		Missing	31	
190-190	QN13	Percentage of students who carried a weapon on school property (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)		
		1 Yes	31	1.6
		2 No	1,512	98.4
		Missing	42	
191-191	QN14	Percentage of students who carried a gun (not counting the days when they carried a gun only for hunting or for a sport such as target shooting, on at least 1 day during the 12 months before the survey)		
		1 Yes	77	4.6
		2 No	1,501	95.4
		Missing	7	

## 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Philadelphia High School Survey

#### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
192-192	QN15	Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)		
		1 Yes	119	6.9
		2 No	1,454	93.1
		Missing	12	
193-193	QN16	Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times during the 12 months before the survey)		
		1 Yes	91	5.7
		2 No	1,459	94.3
		Missing	35	
194-194	QN17	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)		
		1 Yes	478	31.5
		2 No	1,057	68.5
		Missing	50	
195-195	QN18	Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)		
		1 Yes	192	13.6
		2 No	1,343	86.4
		Missing	50	
196-196	QN19	Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)		
		1 Yes	125	8.3
		2 No	1,425	91.7
		Missing	35	
197-197	QN20	Percentage of students who experienced sexual violence (being forced by anyone to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey)		
		1 Yes	144	9.2
		2 No	1,399	90.8
		Missing	42	

## 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Philadelphia High School Survey

#### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
198-198	QN21	Percentage of students who experienced sexual dating violence (being forced by someone they were dating or going out with to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)		
		1 Yes	36	3.5
		2 No	883	96.5
		Missing	666	
199-199	QN22	Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)		
		1 Yes	81	9.1
		2 No	864	90.9
		Missing	640	
200-200	QN23	Percentage of students who were bullied on school property (ever during the 12 months before the survey)		
		1 Yes	181	11.7
		2 No	1,388	88.3
		Missing	16	
201-201	QN24	Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)		
		1 Yes	160	10.3
		2 No	1,400	89.7
		Missing	25	
202-202	QN25	Percentage of students who felt sad or hopeless (almost every day for $\geq 2$ weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)		
		1 Yes	515	31.4
		2 No	1,049	68.6
		Missing	21	

# 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Philadelphia High School Survey

### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
203-203	QN26	Percentage of students who seriously considered attempting suicide (ever during the 12 months before the survey)		
		1 Yes	222	13.8
		2 No	1,333	86.2
		Missing	30	
204-204	QN27	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)		
		1 Yes	209	13.0
		2 No	1,338	87.0
		Missing	38	
205-205	QN28	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)		
		1 Yes	113	9.3
		2 No	1,155	90.7
		Missing	317	
206-206	QN29	Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)		
		1 Yes	38	3.2
		2 No	1,224	96.8
		Missing	323	
207-207	QN30	Percentage of students who ever tried cigarette smoking (even one or two puffs)		
		1 Yes	285	19.4
		2 No	1,194	80.6
		Missing	106	
208-208	QN31	Percentage of students who first tried cigarette smoking before age 13 years (even one or two puffs)		
		1 Yes	134	8.9
		2 No	1,374	91.1
		Missing	77	

# 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Philadelphia High School Survey

### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
209-209	QN32	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
		1 Yes	52	3.5
		2 No	1,480	96.5
		Missing	53	
210-210	QN33	Percentage of students who smoked more than 10 cigarettes per day (on the days they smoked during the 30 days before the survey, among students who currently smoked cigarettes)		
		1 Yes	4	2.7
		2 No	44	97.3
		Missing	1,537	
211-211	QN34	Percentage of students who ever used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo])		
		1 Yes	548	34.5
		2 No	986	65.5
		Missing	51	
212-212	QN35	Percentage of students who currently used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo], on at least 1 day during the 30 days before the survey)		
		1 Yes	63	5.0
		2 No	1,298	95.0
		Missing	224	
213-213	QN36	Percentage of students who usually got their own electronic vapor products by buying them in a store (such as a convenience store, supermarket, discount store, gas station, or vape store, during the 30 days before the survey, among students who currently used electronic vapor products and who were aged <18 years)		
		1 Yes	9	22.0
		2 No	38	78.0
		Missing	1,538	

# 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Philadelphia High School Survey

### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
214-214	QN37	Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Redman, Levi Garrett, Beechnut, Skoal, Skoal Bandits, Copenhagen, Camel Snus, Marlboro Snus, General Snus, Ariva, Stonewall, or Camel Orbs], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)		
		1 Yes	26	2.3
		2 No	1,532	97.7
		Missing	27	
215-215	QN38	Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)		
		1 Yes	63	4.7
		2 No	1,485	95.3
		Missing	37	
216-216	QN39	Percentage of students who tried to quit using all tobacco products (including cigarettes, cigars, smokeless tobacco, shisha or hookah tobacco, and electronic vapor products, ever during the 12 months before the survey, among students who used any tobacco products during the 12 months before the survey)		
		1 Yes	87	37.3
		2 No	130	62.7
		Missing	1,368	
217-217	QN40	Percentage of students who ever drank alcohol (at least one drink of alcohol, on at least 1 day during their life)		
		1 Yes	843	53.0
		2 No	603	47.0
		Missing	139	
218-218	QN41	Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)		
		1 Yes	199	13.8
		2 No	1,214	86.2
		Missing	172	
219-219	QN42	Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)		
		1 Yes	293	20.4
		2 No	1,049	79.6
		Missing	243	

# 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Philadelphia High School Survey

### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
220-220	QN43	Percentage of students who usually got the alcohol they drank by someone giving it to them (during the 30 days before the survey, among students who currently drank alcohol)		
		1 Yes	118	39.8
		2 No	171	60.2
		Missing	1,296	
221-221	QN44	Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row for female students or five or more drinks of alcohol in a row for male students, within a couple of hours, on at least 1 day during the 30 days before the survey)		
		1 Yes	101	6.9
		2 No	1,342	93.1
		Missing	142	
222-222	QN45	Percentage of students who reported that the largest number of drinks they had in a row was 10 or more (within a couple of hours, during the 30 days before the survey)		
		1 Yes	25	1.9
		2 No	1,269	98.1
		Missing	291	
223-223	QN46	Percentage of students who ever used marijuana (one or more times during their life)		
		1 Yes	532	34.2
		2 No	960	65.8
		Missing	93	
224-224	QN47	Percentage of students who tried marijuana for the first time before age 13 years		
		1 Yes	86	5.7
		2 No	1,416	94.3
		Missing	83	
225-225	QN48	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)		
		1 Yes	285	17.9
		2 No	1,215	82.1
		Missing	85	



## 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Philadelphia High School Survey

#### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
226-226	QN49	Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life)		
		1 Yes	36	2.3
		2 No	1,503	97.7
		Missing	46	
227-227	QN50	Percentage of students who ever used inhalants (sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high, one or more times during their life)		
		1 Yes	113	8.0
		2 No	1,420	92.0
		Missing	52	
228-228	QN51	Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)		
		1 Yes	38	3.2
		2 No	1,489	96.8
		Missing	58	
229-229	QN52	Percentage of students who ever used methamphetamines (also called "speed," "crystal," "crank," or "ice," one or more times during their life)		
		1 Yes	30	2.4
		2 No	1,502	97.6
		Missing	53	
230-230	QN53	Percentage of students who ever used ecstasy (also called "MDMA," one or more times during their life)		
		1 Yes	52	3.8
		2 No	1,476	96.2
		Missing	57	
231-231	QN54	Percentage of students who ever used synthetic marijuana (also called "K2," "Spice," "fake weed," "King Kong," "Yucatan Fire," "Skunk," or "Moon Rocks," one or more times during their life)		
		1 Yes	87	6.3
		2 No	1,437	93.7
		Missing	61	

# 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Philadelphia High School Survey

### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
232-232	QN55	Percentage of students who ever took steroids without a doctor's prescription (pills or shots, one or more times during their life)		
		1 Yes	39	3.1
		2 No	1,492	96.9
		Missing	54	
233-233	QN56	Percentage of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during their life)		
		1 Yes	159	10.3
		2 No	1,364	89.7
		Missing	62	
234-234	QN57	Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body, one or more times during their life)		
		1 Yes	30	2.6
		2 No	1,474	97.4
		Missing	81	
235-235	QN58	Percentage of students who were offered, sold, or given an illegal drug on school property (during the 12 months before the survey)		
		1 Yes	322	21.0
		2 No	1,190	79.0
		Missing	73	
236-236	QN59	Percentage of students who ever had sexual intercourse		
		1 Yes	547	40.4
		2 No	790	59.6
		Missing	248	
237-237	QN60	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	74	5.5
		2 No	1,246	94.5
		Missing	265	

# 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Philadelphia High School Survey

### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
238-238	QN61	Percentage of students who had sexual intercourse with four or more persons during their life		
		1 Yes	161	13.2
		2 No	1,169	86.8
		Missing	255	
239-239	QN62	Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)		
		1 Yes	378	28.2
		2 No	957	71.8
		Missing	250	
240-240	QN63	Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)		
		1 Yes	42	11.6
		2 No	331	88.4
		Missing	1,212	
241-241	QN64	Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)		
		1 Yes	191	55.2
		2 No	168	44.8
		Missing	1,226	
242-242	QN65	Percentage of students who used birth control pills before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	54	13.5
		2 No	305	86.5
		Missing	1,226	
245-245	QN68	Percentage of students who described themselves as slightly or very overweight		
		1 Yes	465	29.8
		2 No	1,019	70.2
		Missing	101	

# 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Philadelphia High School Survey

### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
246-246	QN69	Percentage of students who were trying to lose weight		
		1 Yes	678	42.8
		2 No	812	57.2
		Missing	95	
247-247	QN70	Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)		
		1 Yes	417	27.8
		2 No	1,060	72.2
		Missing	108	
248-248	QN71	Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)		
		1 Yes	236	16.4
		2 No	1,231	83.6
		Missing	118	
249-249	QN72	Percentage of students who did not eat green salad (one or more times during the 7 days before the survey)		
		1 Yes	770	53.4
		2 No	701	46.6
		Missing	114	
250-250	QN73	Percentage of students who did not eat potatoes (one or more times during the 7 days before the survey)		
		1 Yes	672	45.0
		2 No	795	55.0
		Missing	118	
251-251	QN74	Percentage of students who did not eat carrots (one or more times during the 7 days before the survey)		
		1 Yes	938	64.9
		2 No	522	35.1
		Missing	125	
252-252	QN75	Percentage of students who did not eat other vegetables (one or more times during the 7 days before the survey)		
		1 Yes	292	21.3
		2 No	1,167	78.7
		Missing	126	

## 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Philadelphia High School Survey

#### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
253-253	QN76	Percentage of students who did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)		
		1 Yes	452	32.7
		2 No	1,006	67.3
		Missing	127	
254-254	QN77	Percentage of students who did not drink milk (during the 7 days before the survey)		
		1 Yes	515	34.9
		2 No	931	65.1
		Missing	139	
255-255	QN78	Percentage of students who did not eat breakfast (during the 7 days before the survey)		
		1 Yes	227	17.7
		2 No	1,238	82.3
		Missing	120	
256-256	QN79	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	501	33.4
		2 No	940	66.6
		Missing	144	
257-257	QN80	Percentage of students who watched television 3 or more hours per day (on an average school day)		
		1 Yes	372	27.0
		2 No	1,059	73.0
		Missing	154	

## 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Philadelphia High School Survey

#### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
258-258	QN81	Percentage of students who played video or computer games or used a computer 3 or more hours per day (counting time spent on things such as Xbox, PlayStation, an iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media, for something that was not school work, on an average school day)		
		1 Yes	736	49.7
		2 No	697	50.3
		Missing	152	
259-259	QN82	Percentage of students who attended physical education (PE) classes on 1 or more days (in an average week when they were in school)		
		1 Yes	566	43.1
		2 No	856	56.9
		Missing	163	
260-260	QN83	Percentage of students who played on at least one sports team (counting any teams run by their school or community groups, during the 12 months before the survey)		
		1 Yes	670	47.0
		2 No	734	53.0
		Missing	181	
261-261	QN84	Percentage of students who had a concussion from playing a sport or being physically active (one or more times during the 12 months before the survey)		
		1 Yes	171	12.2
		2 No	1,248	87.8
		Missing	166	
262-262	QN85	Percentage of students who were ever tested for human immunodeficiency virus (HIV) (not counting tests done if they donated blood)		
		1 Yes	557	37.2
		2 No	841	62.8
		Missing	187	
263-263	QN86	Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)		
		1 Yes	994	68.1
		2 No	423	31.9
		Missing	168	

# 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Philadelphia High School Survey

### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
264-264	QN87	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	412	28.1
		2 No	981	71.9
		Missing	192	
265-265	QN88	Percentage of students who got 8 or more hours of sleep (on an average school night)		
		1 Yes	226	16.6
		2 No	1,185	83.4
		Missing	174	
266-266	QN89	Percentage of students who described their grades in school as mostly A's or B's (during the 12 months before the survey)		
		1 Yes	1,021	72.0
		2 No	355	28.0
		Missing	209	
267-267	QN90	Percentage of students who did something to purposely hurt themselves without wanting to die (such as cutting or burning themselves on purpose one or more times during the 12 months before the survey)		
		1 Yes	264	15.6
		2 No	1,292	84.4
		Missing	29	
268-268	QN91	Percentage of students who think other people at school would describe them as equally feminine and masculine		
		1 Yes	212	13.5
		2 No	1,238	86.5
		Missing	135	
269-269	QN92	Percentage of students who have ever been taught in school about where they could get sexual health services (such as birth control, condoms, or HIV or other sexually transmitted disease (STD) testing or treatment)		
		1 Yes	1,109	73.3
		2 No	309	26.7
		Missing	167	

## 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

### Philadelphia High School Survey

#### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
270-270	QN93	Percentage of students who have been taught about AIDS or HIV infection in school		
		1 Yes	1,174	80.0
		2 No	213	20.0
		Missing	198	
271-271	QN94	Percentage of students who usually slept in the home of a friend, family member, or other person because they had to leave their home or their parent or guardian cannot afford housing (during the 30 days before the survey)		
		1 Yes	50	4.3
		2 No	1,359	95.7
		Missing	176	
272-272	QN95	Percentage of students who have ever slept away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 30 days before the survey)		
		1 Yes	117	9.3
		2 No	1,267	90.7
		Missing	201	
273-273	QN96	Percentage of students who have ever considered themselves homeless		
		1 Yes	121	9.4
		2 No	1,267	90.6
		Missing	197	
274-274	QN97	Percentage of students who most of the time or always went hungry because there was not enough food in their home (during the 30 days before the survey)		
		1 Yes	50	3.6
		2 No	1,348	96.4
		Missing	187	
275-275	QN98	Percentage of students who most of the time or always feel safe and secure in their neighborhood		
		1 Yes	925	66.8
		2 No	462	33.2
		Missing	198	



# 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Philadelphia High School Survey

### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
276-276	QN99	Percentage of students who had received a text or an e-mail with a revealing or sexual photo of someone (during the 30 days before the survey)		
		1 Yes	407	29.5
		2 No	975	70.5
		Missing	203	
350-350	QNFRCIG	Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)		
		1 Yes	10	0.5
		2 No	1,522	99.5
		Missing	53	
351-351	QNDAYCIG	Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)		
		1 Yes	8	0.5
		2 No	1,524	99.5
		Missing	53	
352-352	QNTB2	Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)		
		1 Yes	89	6.5
		2 No	1,437	93.5
		Missing	59	
353-353	QNTB3	Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)		
		1 Yes	95	7.1
		2 No	1,429	92.9
		Missing	61	
354-354	QNTB4	Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)		
		1 Yes	128	10.2
		2 No	1,235	89.8
		Missing	222	

# 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Philadelphia High School Survey

### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
355-355	QNIUDIMP	Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	19	7.3
		2 No	340	92.7
		Missing	1,226	
356-356	QNSHPARG	Percentage of students who used a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active))		
		1 Yes	24	5.5
		2 No	335	94.5
		Missing	1,226	
357-357	QNOTHHPL	Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	97	26.4
		2 No	262	73.6
		Missing	1,226	
358-358	QNDUALBC	Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	25	7.0
		2 No	329	93.0
		Missing	1,231	

# 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Philadelphia High School Survey

### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
359-359	QNBCNONE	Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse (among students who were currently sexually active)		
		1 Yes	67	18.6
		2 No	292	81.4
		Missing	1,226	
360-360	QNFR0	Percentage of students who did not eat fruit or drink 100% fruit juices (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes	106	7.9
		2 No	1,354	92.1
		Missing	125	
361-361	QNFR1	Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes	739	51.8
		2 No	721	48.2
		Missing	125	
362-362	QNFR2	Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes	370	25.3
		2 No	1,090	74.7
		Missing	125	
363-363	QNFR3	Percentage of students who ate fruit or drank 100% fruit juices three or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes	235	16.8
		2 No	1,225	83.2
		Missing	125	

# 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Philadelphia High School Survey

### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
364-364	QNVEG0	Percentage of students who did not eat vegetables (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)		
		1 Yes	136	10.3
		2 No	1,304	89.7
		Missing	145	
365-365	QNVEG1	Percentage of students who ate vegetables one or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)		
		1 Yes	715	49.9
		2 No	725	50.1
		Missing	145	
366-366	QNVEG2	Percentage of students who ate vegetables two or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)		
		1 Yes	288	20.7
		2 No	1,152	79.3
		Missing	145	
367-367	QNVEG3	Percentage of students who ate vegetables three or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)		
		1 Yes	144	10.1
		2 No	1,296	89.9
		Missing	145	
368-368	QNSODA1	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)		
		1 Yes	247	17.6
		2 No	1,211	82.4
		Missing	127	

# 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Philadelphia High School Survey

### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
369-369	QNSODA2	Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)		
		1 Yes	169	12.3
		2 No	1,289	87.7
		Missing	127	
370-370	QNSODA3	Percentage of students who drank a can, bottle, or glass of soda or pop three or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)		
		1 Yes	102	7.1
		2 No	1,356	92.9
		Missing	127	
371-371	QNMILK1	Percentage of students who drank one or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)		
		1 Yes	282	20.3
		2 No	1,164	79.7
		Missing	139	
372-372	QNMILK2	Percentage of students who drank two or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)		
		1 Yes	159	11.5
		2 No	1,287	88.5
		Missing	139	

# 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Philadelphia High School Survey

### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
373-373	QNMILK3	Percentage of students who drank three or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)		
		1 Yes	83	5.8
		2 No	1,363	94.2
		Missing	139	
374-374	QNBK7DAY	Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)		
		1 Yes	350	23.2
		2 No	1,115	76.8
		Missing	120	
375-375	QNPA0DAY	Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	369	26.6
		2 No	1,072	73.4
		Missing	144	
376-376	QNPA7DAY	Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	247	16.8
		2 No	1,194	83.2
		Missing	144	
377-377	QNDLYPE	Percentage of students who attended physical education (PE) classes on all 5 days (in an average week when they were in school)		
		1 Yes	282	19.8
		2 No	1,140	80.2
		Missing	163	
378-378	QNNODNT	Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)		
		1 Yes	22	1.6
		2 No	1,395	98.4
		Missing	168	

# 2017 YOUTH RISK BEHAVIOR SURVEY RESULTS

## Philadelphia High School Survey

### Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
385-385	QNOBESE	Percentage of students who had obesity ( $\geq$ 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)**		
		1 Yes	218	16.1
		2 No	1,220	83.9
		Missing	147	
386-386	QNOWT	Percentage of students who were overweight ( $\geq$ 85th percentile but $<$ 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)**		
		1 Yes	252	17.0
		2 No	1,186	83.0
		Missing	147	
387-396	WEIGHT			
397-399	STRATUM			
400-405	PSU			
409-413	BMIPCT			
414-415	RACEETH			
		1 Am Indian/Alaska Native	12	0.5
		2 Asian	168	11.1
		3 Black or African American	674	53.5
		4 Native Hawaiian/Other PI	11	0.5
		5 White	183	13.1
		6 Hispanic/Latino	165	7.8
		7 Multiple - Hispanic	210	10.4
		8 Multiple - Non-Hispanic	100	3.1
		Missing	62	
416-418	Q6ORIG			
419-421	Q7ORIG			