

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
17-17	Q1	How old are you?			
		1	12 years old or younger	1	0.2
		2	13 years old	1	0.1
		3	14 years old	115	11.7
		4	15 years old	267	24.4
		5	16 years old	350	27.9
		6	17 years old	289	21.5
		7	18 years old or older	188	14.2
		Missing	6		
18-18	Q2	What is your sex?			
		1	Female	658	49.8
		2	Male	548	50.2
			Missing	11	
19-19	Q3	In what grade are you?			
		1	9th grade	274	29.4
		2	10th grade	334	25.7
		3	11th grade	289	23.6
		4	12th grade	307	21.4
		5	Ungraded or other grade	0	0.0
		Missing	13		
20-20	Q4	Are you Hispanic or Latino?			
		1	Yes	312	19.7
		2	No	880	80.3
			Missing	25	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
21-28	Q5	What is your race?		
		F	2	0.2
		E	161	15.9
		D	54	3.8
		DE	1	0.0
		C	564	60.1
		C E	22	1.5
		CD	10	0.8
		CDE	2	0.1
		B	165	12.6
		B E	4	0.3
		B D	1	0.0
		BC	5	0.3
		BCD	1	0.0
		A	25	2.2
		A E	4	0.2
		A C	15	1.0
		A C E	9	0.6
		A CD	4	0.2
		AB	1	0.1
		ABC	1	0.0
ABCDE	1	0.0		
		165		
29-32	Q6	How tall are you without your shoes on? (Note: Data are in meters.)		
33-38	Q7	How much do you weigh without your shoes on? (Note: Data are in kilograms.)		
39-39	Q8	How often do you wear a seat belt when riding in a car driven by someone else?		
		1 Never	100	9.2
		2 Rarely	158	13.3
		3 Sometimes	293	24.5
		4 Most of the time	307	25.7
		5 Always	334	27.3
	Missing	25		

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
40-40	Q9	During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?			
		1	0 times	1,013	83.9
		2	1 time	78	6.4
		3	2 or 3 times	52	4.3
		4	4 or 5 times	22	1.7
		5	6 or more times	42	3.7
			Missing	10	
41-41	Q10	During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?			
		1	I did not drive a car or other vehicle during the past 30 days	680	61.3
		2	0 times	408	38.1
		3	1 time	2	0.1
		4	2 or 3 times	2	0.1
		5	4 or 5 times	4	0.3
		6	6 or more times	0	0.0
	Missing	121			
42-42	Q11	During the past 30 days, on how many days did you text or e-mail while driving a car or other vehicle?			
		1	I did not drive a car or other vehicle during the past 30 days	677	59.9
		2	0 days	336	32.0
		3	1 or 2 days	40	3.6
		4	3 to 5 days	19	1.2
		5	6 to 9 days	13	1.1
		6	10 to 19 days	4	0.3
		7	20 to 29 days	2	0.2
		8	All 30 days	19	1.6
	Missing	107			
43-43	Q12	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club?			
		1	0 days	1,103	91.3
		2	1 day	28	2.6
		3	2 or 3 days	32	2.4
		4	4 or 5 days	12	1.1
		5	6 or more days	31	2.6
	Missing	11			

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
44-44	Q13	During the past 30 days, on how many days did you carry a weapon such as a gun, knife, or club on school property?			
		1	0 days	1,189	98.8
		2	1 day	5	0.5
		3	2 or 3 days	1	0.1
		4	4 or 5 days	1	0.1
		5	6 or more days	5	0.5
			Missing	16	
45-45	Q14	During the past 12 months, on how many days did you carry a gun?			
		1	0 days	1,134	96.5
		2	1 day	9	0.6
		3	2 or 3 days	8	0.8
		4	4 or 5 days	8	0.7
		5	6 or more days	16	1.4
			Missing	42	
46-46	Q15	During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to or from school?			
		1	0 days	1,070	88.7
		2	1 day	72	5.7
		3	2 or 3 days	40	3.6
		4	4 or 5 days	6	0.4
		5	6 or more days	17	1.6
			Missing	12	
47-47	Q16	During the past 12 months, how many times has someone threatened or injured you with a weapon such as a gun, knife, or club on school property?			
		1	0 times	1,117	91.8
		2	1 time	46	4.0
		3	2 or 3 times	27	2.5
		4	4 or 5 times	8	0.7
		5	6 or 7 times	2	0.1
		6	8 or 9 times	2	0.1
		7	10 or 11 times	1	0.1
		8	12 or more times	5	0.6
	Missing	9			

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
48-48	Q17	During the past 12 months, how many times were you in a physical fight?		
		1 0 times	833	68.8
		2 1 time	145	13.4
		3 2 or 3 times	134	11.9
		4 4 or 5 times	31	3.2
		5 6 or 7 times	8	0.8
		6 8 or 9 times	6	0.6
		7 10 or 11 times	3	0.2
		8 12 or more times	13	1.1
	Missing	44		
49-49	Q18	During the past 12 months, how many times were you in a physical fight on school property?		
		1 0 times	1,035	86.0
		2 1 time	89	8.3
		3 2 or 3 times	43	4.4
		4 4 or 5 times	8	0.8
		5 6 or 7 times	4	0.4
		6 8 or 9 times	0	0.0
		7 10 or 11 times	0	0.0
		8 12 or more times	2	0.1
	Missing	36		
50-50	Q19	Have you ever been physically forced to have sexual intercourse when you did not want to?		
		1 Yes	106	8.8
		2 No	1,073	91.2
	Missing	38		
51-51	Q20	During the past 12 months, how many times did anyone force you to do sexual things that you did not want to do?		
		1 0 times	1,064	90.4
		2 1 time	59	5.7
		3 2 or 3 times	30	2.5
		4 4 or 5 times	13	1.0
		5 6 or more times	5	0.4
	Missing	46		

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
52-52	Q21	During the past 12 months, how many times did someone you were dating or going out with force you to do sexual things that you did not want to do?			
		1	I did not date or go out with anyone during the past 12 months	432	38.9
		2	0 times	655	58.8
		3	1 time	14	1.2
		4	2 or 3 times	9	0.6
		5	4 or 5 times	4	0.2
		6	6 or more times	2	0.2
			Missing	101	
53-53	Q22	During the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose?			
		1	I did not date or go out with anyone during the past 12 months	427	37.9
		2	0 times	624	55.6
		3	1 time	38	3.0
		4	2 or 3 times	22	1.8
		5	4 or 5 times	8	0.9
		6	6 or more times	10	0.9
			Missing	88	
54-54	Q23	During the past 12 months, have you ever been bullied on school property?			
		1	Yes	153	13.8
		2	No	1,036	86.2
		Missing	28		
55-55	Q24	During the past 12 months, have you ever been electronically bullied?			
		1	Yes	127	11.8
		2	No	1,066	88.2
		Missing	24		
56-56	Q25	During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?			
		1	Yes	489	40.3
		2	No	697	59.7
		Missing	31		

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
57-57	Q26	During the past 12 months, did you ever seriously consider attempting suicide?		
		1 Yes	261	22.0
		2 No	919	78.0
		Missing	37	
58-58	Q27	During the past 12 months, did you make a plan about how you would attempt suicide?		
		1 Yes	202	17.3
		2 No	985	82.7
		Missing	30	
59-59	Q28	During the past 12 months, how many times did you actually attempt suicide?		
		1 0 times	838	85.4
		2 1 time	81	7.3
		3 2 or 3 times	46	4.5
		4 4 or 5 times	15	1.9
		5 6 or more times	6	0.8
		Missing	231	
60-60	Q29	If you attempted suicide during the past 12 months, did any attempt result in an injury, poisoning, or overdose that had to be treated by a doctor or nurse?		
		1 I did not attempt suicide during the past 12 months	829	85.8
		2 Yes	49	5.1
		3 No	96	9.1
		Missing	243	
61-61	Q30	Have you ever tried cigarette smoking, even one or two puffs?		
		1 Yes	184	15.2
		2 No	960	84.8
		Missing	73	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
62-62	Q31	How old were you when you first tried cigarette smoking, even one or two puffs?			
		1	I have never tried cigarette smoking, not even one or two puffs	955	83.8
		2	8 years old or younger	46	4.0
		3	9 or 10 years old	26	2.4
		4	11 or 12 years old	26	2.0
		5	13 or 14 years old	45	3.8
		6	15 or 16 years old	35	2.9
		7	17 years old or older	14	1.2
		Missing	70		
63-63	Q32	During the past 30 days, on how many days did you smoke cigarettes?			
		1	0 days	1,119	97.9
		2	1 or 2 days	12	1.0
		3	3 to 5 days	7	0.6
		4	6 to 9 days	1	0.1
		5	10 to 19 days	3	0.3
		6	20 to 29 days	1	0.1
		7	All 30 days	1	0.1
		Missing	73		
64-64	Q33	During the past 30 days, on the days you smoked, how many cigarettes did you smoke per day?			
		1	I did not smoke cigarettes during the past 30 days	1,125	97.8
		2	Less than 1 cigarette per day	13	1.2
		3	1 cigarette per day	7	0.5
		4	2 to 5 cigarettes per day	5	0.5
		5	6 to 10 cigarettes per day	0	0.0
		6	11 to 20 cigarettes per day	0	0.0
		7	More than 20 cigarettes per day	1	0.1
		Missing	66		
65-65	Q34	Have you ever used an electronic vapor product?			
		1	Yes	438	36.7
		2	No	722	63.3
		Missing	57		

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
66-66	Q35	During the past 30 days, on how many days did you use an electronic vapor product?			
		1	0 days	927	92.9
		2	1 or 2 days	29	3.0
		3	3 to 5 days	17	1.4
		4	6 to 9 days	9	0.7
		5	10 to 19 days	9	0.8
		6	20 to 29 days	5	0.4
		7	All 30 days	9	0.8
	Missing	212			
67-67	Q36	During the past 30 days, how did you usually get your own electronic vapor products?			
		1	I did not use any electronic vapor products during the past 30 days	920	93.0
		2	I bought them in a store such as a convenience store, supermarket, discount store, gas station, or vape store	15	1.3
		3	I got them on the Internet	4	0.4
		4	I gave someone else money to buy them for me	10	1.0
		5	I borrowed them from someone else	29	2.3
		6	A person who can legally buy these products gave them to me	13	1.2
		7	I took them from a store or another person	0	0.0
		8	I got them some other way	6	0.7
	Missing	220			
68-68	Q37	During the past 30 days, on how many days did you use chewing tobacco, snuff, dip, snus, or dissolvable tobacco products, such as Copenhagen, Grizzly, Skoal, or Camel Snus?			
		1	0 days	1,144	98.1
		2	1 or 2 days	10	0.7
		3	3 to 5 days	7	0.9
		4	6 to 9 days	2	0.2
		5	10 to 19 days	0	0.0
		6	20 to 29 days	1	0.1
		7	All 30 days	1	0.1
	Missing	52			

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
69-69	Q38	During the past 30 days, on how many days did you smoke cigars, cigarillos, or little cigars?			
		1	0 days	1,136	97.2
		2	1 or 2 days	9	1.0
		3	3 to 5 days	9	0.7
		4	6 to 9 days	2	0.2
		5	10 to 19 days	6	0.5
		6	20 to 29 days	2	0.1
		7	All 30 days	3	0.3
	Missing	50			
70-70	Q39	During the past 12 months, did you ever try to quit using all tobacco products, including cigarettes, cigars, smokeless tobacco, shisha or hookah tobacco, and electronic vapor products?			
		1	I did not use any tobacco products during the past 12 months	803	79.4
		2	Yes	68	7.3
		3	No	134	13.3
			Missing	212	
71-71	Q40	How old were you when you had your first drink of alcohol other than a few sips?			
		1	I have never had a drink of alcohol other than a few sips	515	47.2
		2	8 years old or younger	56	5.2
		3	9 or 10 years old	50	4.7
		4	11 or 12 years old	73	6.5
		5	13 or 14 years old	176	15.5
		6	15 or 16 years old	197	16.5
		7	17 years old or older	53	4.4
	Missing	97			
72-72	Q41	During the past 30 days, on how many days did you have at least one drink of alcohol?			
		1	0 days	871	82.8
		2	1 or 2 days	139	12.2
		3	3 to 5 days	43	3.5
		4	6 to 9 days	9	1.0
		5	10 to 19 days	5	0.4
		6	20 to 29 days	0	0.0
		7	All 30 days	2	0.2
	Missing	148			

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
73-73	Q42	During the past 30 days, on how many days did you have 4 or more drinks of alcohol in a row, that is, within a couple of hours (if you are female) or 5 or more drinks of alcohol in a row, that is, within a couple of hours (if you are male)?			
		1	0 days	1,048	94.8
		2	1 day	30	2.5
		3	2 days	17	1.5
		4	3 to 5 days	11	1.0
		5	6 to 9 days	2	0.1
		6	10 to 19 days	1	0.1
		7	20 or more days	1	0.1
			Missing	107	
74-74	Q43	During the past 30 days, what is the largest number of alcoholic drinks you had in a row, that is, within a couple of hours?			
		1	I did not drink alcohol during the past 30 days	860	85.4
		2	1 or 2 drinks	91	7.9
		3	3 drinks	11	1.1
		4	4 drinks	15	1.4
		5	5 drinks	21	2.0
		6	6 or 7 drinks	14	1.2
		7	8 or 9 drinks	4	0.3
		8	10 or more drinks	8	0.8
	Missing	193			
75-75	Q44	During the past 30 days, how did you usually get the alcohol you drank?			
		1	I did not drink alcohol during the past 30 days	855	82.3
		2	I bought it in a store such as a liquor store, convenience store, supermarket, discount store, or gas station	3	0.3
		3	I bought it at a restaurant, bar, or club	11	1.2
		4	I bought it at a public event such as a concert or sporting event	5	0.5
		5	I gave someone else money to buy it for me	31	2.6
		6	Someone gave it to me	72	6.2
		7	I took it from a store or family member	40	3.5
		8	I got it some other way	39	3.4
	Missing	161			

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
76-76	Q45	During your life, how many times have you used marijuana?			
		1	0 times	663	60.1
		2	1 or 2 times	110	9.5
		3	3 to 9 times	118	9.9
		4	10 to 19 times	68	5.9
		5	20 to 39 times	48	4.0
		6	40 to 99 times	39	3.2
		7	100 or more times	78	7.3
		Missing	93		
77-77	Q46	How old were you when you tried marijuana for the first time?			
		1	I have never tried marijuana	666	60.0
		2	8 years old or younger	12	1.1
		3	9 or 10 years old	15	1.6
		4	11 or 12 years old	44	4.0
		5	13 or 14 years old	152	13.7
		6	15 or 16 years old	201	16.2
		7	17 years old or older	43	3.5
		Missing	84		
78-78	Q47	During the past 30 days, how many times did you use marijuana?			
		1	0 times	890	79.0
		2	1 or 2 times	110	9.5
		3	3 to 9 times	59	5.0
		4	10 to 19 times	27	2.4
		5	20 to 39 times	22	1.6
		6	40 or more times	27	2.5
				Missing	82
79-79	Q48	During your life, how many times have you used synthetic marijuana?			
		1	0 times	1,096	95.0
		2	1 or 2 times	30	2.5
		3	3 to 9 times	13	1.1
		4	10 to 19 times	7	0.7
		5	20 to 39 times	1	0.1
		6	40 or more times	5	0.5
				Missing	65

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
80-80	Q49	During your life, how many times have you taken prescription pain medicine without a doctor's prescription or differently than how a doctor told you to use it?			
		1	0 times	996	86.3
		2	1 or 2 times	69	6.0
		3	3 to 9 times	33	2.9
		4	10 to 19 times	22	2.3
		5	20 to 39 times	17	1.2
		6	40 or more times	16	1.3
			Missing	64	
81-81	Q50	During your life, how many times have you used any form of cocaine, including powder, crack, or freebase?			
		1	0 times	1,125	97.4
		2	1 or 2 times	12	1.2
		3	3 to 9 times	8	0.6
		4	10 to 19 times	2	0.2
		5	20 to 39 times	1	0.1
		6	40 or more times	3	0.5
			Missing	66	
82-82	Q51	During your life, how many times have you sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high?			
		1	0 times	1,095	94.9
		2	1 or 2 times	23	2.4
		3	3 to 9 times	19	1.8
		4	10 to 19 times	7	0.5
		5	20 to 39 times	4	0.3
		6	40 or more times	2	0.1
			Missing	67	
83-83	Q52	During your life, how many times have you used heroin (also called smack, junk, or China White)?			
		1	0 times	1,121	97.5
		2	1 or 2 times	8	0.8
		3	3 to 9 times	8	0.7
		4	10 to 19 times	4	0.4
		5	20 to 39 times	3	0.4
		6	40 or more times	1	0.1
			Missing	72	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
84-84	Q53	During your life, how many times have you used methamphetamines (also called speed, crystal meth, crank, ice, or meth)?		
		1 0 times	1,083	96.9
		2 1 or 2 times	14	1.3
		3 3 to 9 times	6	0.8
		4 10 to 19 times	2	0.2
		5 20 to 39 times	2	0.2
		6 40 or more times	4	0.6
	Missing	106		
85-85	Q54	During your life, how many times have you used ecstasy (also called MDMA)?		
		1 0 times	1,124	97.8
		2 1 or 2 times	8	0.7
		3 3 to 9 times	4	0.6
		4 10 to 19 times	6	0.5
		5 20 to 39 times	3	0.3
		6 40 or more times	1	0.2
	Missing	71		
86-86	Q55	During your life, how many times have you taken steroid pills or shots without a doctor's prescription?		
		1 0 times	1,116	96.5
		2 1 or 2 times	14	1.5
		3 3 to 9 times	9	1.0
		4 10 to 19 times	6	0.5
		5 20 to 39 times	0	0.0
		6 40 or more times	4	0.5
	Missing	68		
87-87	Q56	During your life, how many times have you used a needle to inject any illegal drug into your body?		
		1 0 times	1,114	97.2
		2 1 time	20	1.8
		3 2 or more times	8	1.0
	Missing	75		

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
88-88	Q57	During the past 12 months, has anyone offered, sold, or given you an illegal drug on school property?		
		1 Yes	274	23.3
		2 No	859	76.7
		Missing	84	
89-89	Q58	Have you ever had sexual intercourse?		
		1 Yes	424	40.7
		2 No	606	59.3
		Missing	187	
90-90	Q59	How old were you when you had sexual intercourse for the first time?		
		1 I have never had sexual intercourse	601	59.4
		2 11 years old or younger	25	3.1
		3 12 years old	22	2.2
		4 13 years old	45	5.4
		5 14 years old	85	8.2
		6 15 years old	112	10.4
		7 16 years old	93	8.1
		8 17 years old or older	36	3.0
Missing	198			
91-91	Q60	During your life, with how many people have you had sexual intercourse?		
		1 I have never had sexual intercourse	600	59.2
		2 1 person	177	16.9
		3 2 people	90	8.4
		4 3 people	55	5.6
		5 4 people	27	2.6
		6 5 people	15	1.6
		7 6 or more people	56	5.7
Missing	197			
92-92	Q61	During the past 3 months, with how many people did you have sexual intercourse?		
		1 I have never had sexual intercourse	600	59.1
		2 I have had sexual intercourse, but not during the past 3 months	127	12.6
		3 1 person	235	22.5
		4 2 people	38	3.8
		5 3 people	13	1.2
		6 4 people	7	0.7
		7 5 people	1	0.1
		8 6 or more people	1	0.1
Missing	195			

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
93-93	Q62	Did you drink alcohol or use drugs before you had sexual intercourse the last time?			
		1	I have never had sexual intercourse	594	58.8
		2	Yes	53	5.5
		3	No	366	35.7
			Missing	204	
94-94	Q63	The last time you had sexual intercourse, did you or your partner use a condom?			
		1	I have never had sexual intercourse	598	59.9
		2	Yes	201	21.1
		3	No	204	19.0
			Missing	214	
95-95	Q64	The last time you had sexual intercourse, what one method did you or your partner use to prevent pregnancy?			
		1	I have never had sexual intercourse	595	60.2
		2	No method was used to prevent pregnancy	100	9.8
		3	Birth control pills	53	5.0
		4	Condoms	153	16.5
		5	An IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon)	13	1.0
		6	A shot (such as Depo-Provera), patch (such as Ortho Evra), or birth control ring (such as NuvaRing)	28	2.7
		7	Withdrawal or some other method	38	3.4
		8	Not sure	16	1.4
	Missing	221			
96-96	Q65	During your life, with whom have you had sexual contact?			
		1	I have never had sexual contact	488	45.8
		2	Females	277	28.0
		3	Males	232	19.9
		4	Females and males	71	6.3
	Missing	149			

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
97-97	Q66	Which of the following best describes you?			
		1	Heterosexual (straight)	859	77.5
		2	Gay or lesbian	47	4.5
		3	Bisexual	146	11.8
		4	Not sure	64	6.2
			Missing	101	
98-98	Q67	How do you describe your weight?			
		1	Very underweight	50	5.0
		2	Slightly underweight	174	16.5
		3	About the right weight	551	48.9
		4	Slightly overweight	272	24.3
		5	Very overweight	58	5.3
	Missing	112			
99-99	Q68	Which of the following are you trying to do about your weight?			
		1	Lose weight	507	45.7
		2	Gain weight	282	25.2
		3	Stay the same weight	153	14.0
		4	I am not trying to do anything about my weight	170	15.1
	Missing	105			
100-100	Q69	During the past 7 days, how many times did you drink 100% fruit juices such as orange juice, apple juice, or grape juice?			
		1	I did not drink 100% fruit juice during the past 7 days	271	24.2
		2	1 to 3 times during the past 7 days	450	38.8
		3	4 to 6 times during the past 7 days	186	17.4
		4	1 time per day	46	4.1
		5	2 times per day	56	5.9
		6	3 times per day	34	3.4
		7	4 or more times per day	65	6.1
			Missing	109	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
101-101	Q70	During the past 7 days, how many times did you eat fruit?			
		1	I did not eat fruit during the past 7 days	165	15.9
		2	1 to 3 times during the past 7 days	466	41.9
		3	4 to 6 times during the past 7 days	209	18.9
		4	1 time per day	86	7.4
		5	2 times per day	81	7.2
		6	3 times per day	41	3.4
		7	4 or more times per day	50	5.5
		Missing	119		
102-102	Q71	During the past 7 days, how many times did you eat green salad?			
		1	I did not eat green salad during the past 7 days	573	53.0
		2	1 to 3 times during the past 7 days	369	32.7
		3	4 to 6 times during the past 7 days	71	6.7
		4	1 time per day	38	3.7
		5	2 times per day	17	1.5
		6	3 times per day	7	0.5
		7	4 or more times per day	18	2.0
		Missing	124		
103-103	Q72	During the past 7 days, how many times did you eat potatoes?			
		1	I did not eat potatoes during the past 7 days	540	49.4
		2	1 to 3 times during the past 7 days	418	37.2
		3	4 to 6 times during the past 7 days	86	8.0
		4	1 time per day	28	2.7
		5	2 times per day	10	1.0
		6	3 times per day	9	0.7
		7	4 or more times per day	12	1.1
		Missing	114		
104-104	Q73	During the past 7 days, how many times did you eat carrots?			
		1	I did not eat carrots during the past 7 days	709	64.7
		2	1 to 3 times during the past 7 days	302	26.4
		3	4 to 6 times during the past 7 days	40	4.1
		4	1 time per day	25	2.3
		5	2 times per day	11	1.3
		6	3 times per day	2	0.2
		7	4 or more times per day	10	1.0
		Missing	118		

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
105-105	Q74	During the past 7 days, how many times did you eat other vegetables?			
		1	I did not eat other vegetables during the past 7 days	241	22.5
		2	1 to 3 times during the past 7 days	432	40.1
		3	4 to 6 times during the past 7 days	207	19.2
		4	1 time per day	102	8.9
		5	2 times per day	56	4.8
		6	3 times per day	18	1.7
		7	4 or more times per day	29	2.9
			Missing	132	
106-106	Q75	During the past 7 days, how many times did you drink a can, bottle, or glass of soda or pop, such as Coke, Pepsi, or Sprite?			
		1	I did not drink soda or pop during the past 7 days	392	35.9
		2	1 to 3 times during the past 7 days	421	37.3
		3	4 to 6 times during the past 7 days	145	13.4
		4	1 time per day	47	4.4
		5	2 times per day	41	4.2
		6	3 times per day	12	1.5
		7	4 or more times per day	33	3.3
			Missing	126	
107-107	Q76	During the past 7 days, how many glasses of milk did you drink?			
		1	I did not drink milk during the past 7 days	395	36.6
		2	1 to 3 glasses during the past 7 days	338	31.0
		3	4 to 6 glasses during the past 7 days	156	13.3
		4	1 glass per day	91	9.2
		5	2 glasses per day	47	4.2
		6	3 glasses per day	21	2.2
		7	4 or more glasses per day	30	3.5
			Missing	139	
108-108	Q77	During the past 7 days, on how many days did you eat breakfast?			
		1	0 days	179	17.3
		2	1 day	110	10.2
		3	2 days	162	15.2
		4	3 days	120	10.6
		5	4 days	99	8.7
		6	5 days	86	8.2
		7	6 days	65	6.4
		8	7 days	252	23.3
	Missing	144			

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
109-109	Q78	During the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day?		
		1 0 days	260	24.4
		2 1 day	126	12.4
		3 2 days	132	11.8
		4 3 days	129	12.2
		5 4 days	113	10.3
		6 5 days	121	11.5
		7 6 days	39	3.3
		8 7 days	151	14.1
	Missing	146		
110-110	Q79	On an average school day, how many hours do you watch TV?		
		1 I do not watch TV on an average school day	331	29.9
		2 Less than 1 hour per day	182	17.1
		3 1 hour per day	129	12.5
		4 2 hours per day	142	13.6
		5 3 hours per day	114	10.2
		6 4 hours per day	68	6.8
		7 5 or more hours per day	99	9.8
	Missing	152		
111-111	Q80	On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work?		
		1 I do not play video or computer games or use a computer for something that is not school work	176	16.5
		2 Less than 1 hour per day	88	8.7
		3 1 hour per day	78	7.2
		4 2 hours per day	130	11.5
		5 3 hours per day	171	15.6
		6 4 hours per day	116	10.7
		7 5 or more hours per day	312	29.8
	Missing	146		

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
112-112	Q81	In an average week when you are in school, on how many days do you go to physical education (PE) classes?			
		1	0 days	569	51.8
		2	1 day	72	7.3
		3	2 days	118	10.3
		4	3 days	139	13.2
		5	4 days	44	5.0
		6	5 days	119	12.4
		Missing	156		
113-113	Q82	During the past 12 months, on how many sports teams did you play?			
		1	0 teams	631	60.0
		2	1 team	263	24.8
		3	2 teams	102	10.0
		4	3 or more teams	57	5.3
		Missing	164		
114-114	Q83	During the past 12 months, how many times did you have a concussion from playing a sport or being physically active?			
		1	0 times	937	85.9
		2	1 time	70	7.5
		3	2 times	28	3.0
		4	3 times	12	1.3
		5	4 or more times	21	2.4
		Missing	149		
115-115	Q84	Have you ever been tested for HIV, the virus that causes AIDS?			
		1	Yes	354	32.7
		2	No	551	54.0
		3	Not sure	142	13.3
		Missing	170		
116-116	Q85	During the past 12 months, have you been tested for a sexually transmitted disease (STD) other than HIV, such as chlamydia or gonorrhea?			
		1	Yes	374	35.0
		2	No	577	56.9
		3	Not sure	83	8.0
		Missing	183		

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
117-117	Q86	When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?			
		1	During the past 12 months	747	69.1
		2	Between 12 and 24 months ago	154	15.4
		3	More than 24 months ago	60	5.8
		4	Never	17	2.0
		5	Not sure	76	7.7
		Missing	163		
118-118	Q87	Has a doctor or nurse ever told you that you have asthma?			
		1	Yes	336	30.8
		2	No	673	64.2
		3	Not sure	43	5.0
		Missing	165		
119-119	Q88	On an average school night, how many hours of sleep do you get?			
		1	4 or less hours	164	16.5
		2	5 hours	214	19.3
		3	6 hours	293	26.1
		4	7 hours	201	19.6
		5	8 hours	134	12.9
		6	9 hours	31	3.5
		7	10 or more hours	16	2.0
		Missing	164		
120-120	Q89	During the past 12 months, how would you describe your grades in school?			
		1	Mostly A's	350	32.5
		2	Mostly B's	354	34.0
		3	Mostly C's	192	18.7
		4	Mostly D's	55	4.8
		5	Mostly F's	22	2.3
		6	None of these grades	9	0.7
		7	Not sure	62	7.0
		Missing	173		

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
121-121	Q90	Some people describe themselves as transgender when their sex at birth does not match the way they think or feel about their gender. Are you transgender?		
		1 No, I am not transgender	1,074	95.1
		2 Yes, I am transgender	17	1.5
		3 I am not sure if I am transgender	16	1.6
		4 I do not know what this question is asking	18	1.9
		Missing	92	
122-122	Q91	A person's appearance, style, dress, or the way they walk or talk may affect how people describe them. How do you think other people at school would describe you?		
		1 Very feminine	154	14.7
		2 Mostly feminine	232	20.6
		3 Somewhat feminine	103	8.7
		4 Equally feminine and masculine	170	16.6
		5 Somewhat masculine	77	7.8
		6 Mostly masculine	151	15.3
		7 Very masculine	158	16.2
		Missing	172	
123-123	Q92	During the past 30 days, how often did you go hungry because there was not enough food in your home?		
		1 Never	591	57.3
		2 Rarely	236	23.7
		3 Sometimes	144	14.5
		4 Most of the time	36	3.3
		5 Always	11	1.1
		Missing	199	
124-124	Q93	Have you ever been taught about AIDS or HIV infection in school?		
		1 Yes	781	76.8
		2 No	178	18.7
		3 Not sure	43	4.6
		Missing	215	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
125-125	Q94	Have you ever been taught in school about where you could get sexual health services, such as birth control, condoms, or HIV or other sexually transmitted disease (STD) testing or treatment?		
		1 Yes	735	71.8
		2 No	194	21.7
		3 Not sure Missing	63 225	6.5
126-126	Q95	During the past 30 days, on how many days was your physical health not good?		
		1 0 days	550	56.3
		2 1 or 2 days	228	23.9
		3 3 to 6 days	117	11.3
		4 7 to 13 days	57	5.5
		5 14 to 29 days 6 All 30 days Missing	17 17 231	1.5 1.5
127-127	Q96	During the past 30 days, on how many days was your mental health not good?		
		1 0 days	364	40.4
		2 1 or 2 days	161	16.6
		3 3 to 6 days	148	14.0
		4 7 to 13 days	120	11.3
		5 14 to 29 days 6 All 30 days Missing	99 85 240	9.5 8.3
128-128	Q97	During the past 30 days, where did you usually sleep?		
		1 In my parent's or guardian's home	932	93.2
		2 In the home of a friend, family member, or other person because I had to leave my home or my parent or guardian cannot afford housing	35	4.0
		3 In a shelter or emergency housing	7	0.9
		4 In a motel or hotel	7	0.7
		5 In a car, park, campground, or other public place	3	0.5
		6 I do not have a usual place to sleep 7 Somewhere else Missing	2 6 225	0.2 0.5

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
129-129	Q98	During the past 30 days, did you ever sleep away from your parents or guardians because you were kicked out, ran away, or were abandoned?			
		1	Yes	58	6.3
		2	No	915	93.7
			Missing	244	
130-130	Q99	Do you agree or disagree that you feel close to people at your school?			
		1	Strongly agree	236	24.5
		2	Agree	414	40.2
		3	Not sure	186	19.4
		4	Disagree	89	8.3
		5	Strongly disagree	70	7.7
	Missing	222			
185-185	QN8	Percentage of students who rarely or never wore a seat belt (when riding in a car driven by someone else)			
		1	Yes	258	22.5
		2	No	934	77.5
			Missing	25	
186-186	QN9	Percentage of students who rode with a driver who had been drinking alcohol (in a car or other vehicle, one or more times during the 30 days before the survey)			
		1	Yes	194	16.1
		2	No	1,013	83.9
			Missing	10	
187-187	QN10	Percentage of students who drove a car or other vehicle when they had been drinking alcohol (one or more times during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)			
		1	Yes	8	1.5
		2	No	408	98.5
			Missing	801	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
188-188	QN11	Percentage of students who texted or e-mailed while driving a car or other vehicle (on at least 1 day during the 30 days before the survey, among students who had driven a car or other vehicle during the 30 days before the survey)		
		1 Yes	97	20.1
		2 No	336	79.9
		Missing	784	
189-189	QN12	Percentage of students who carried a weapon (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)		
		1 Yes	103	8.7
		2 No	1,103	91.3
		Missing	11	
190-190	QN13	Percentage of students who carried a weapon on school property (such as a gun, knife, or club, on at least 1 day during the 30 days before the survey)		
		1 Yes	12	1.2
		2 No	1,189	98.8
		Missing	16	
191-191	QN14	Percentage of students who carried a gun (not counting the days when they carried a gun only for hunting or for a sport such as target shooting, on at least 1 day during the 12 months before the survey)		
		1 Yes	41	3.5
		2 No	1,134	96.5
		Missing	42	
192-192	QN15	Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school (on at least 1 day during the 30 days before the survey)		
		1 Yes	135	11.3
		2 No	1,070	88.7
		Missing	12	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
193-193	QN16	Percentage of students who were threatened or injured with a weapon on school property (such as a gun, knife, or club, one or more times during the 12 months before the survey)		
		1 Yes	91	8.2
		2 No	1,117	91.8
		Missing	9	
194-194	QN17	Percentage of students who were in a physical fight (one or more times during the 12 months before the survey)		
		1 Yes	340	31.2
		2 No	833	68.8
		Missing	44	
195-195	QN18	Percentage of students who were in a physical fight on school property (one or more times during the 12 months before the survey)		
		1 Yes	146	14.0
		2 No	1,035	86.0
		Missing	36	
196-196	QN19	Percentage of students who were ever physically forced to have sexual intercourse (when they did not want to)		
		1 Yes	106	8.8
		2 No	1,073	91.2
		Missing	38	
197-197	QN20	Percentage of students who experienced sexual violence (being forced by anyone to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey)		
		1 Yes	107	9.6
		2 No	1,064	90.4
		Missing	46	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey

Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
198-198	QN21	Percentage of students who experienced sexual dating violence (being forced by someone they were dating or going out with to do sexual things [counting such things as kissing, touching, or being physically forced to have sexual intercourse] that they did not want to, one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)			
		1	Yes	29	3.7
		2	No	655	96.3
			Missing	533	
199-199	QN22	Percentage of students who experienced physical dating violence (being physically hurt on purpose by someone they were dating or going out with [counting such things as being hit, slammed into something, or injured with an object or weapon] one or more times during the 12 months before the survey, among students who dated or went out with someone during the 12 months before the survey)			
		1	Yes	78	10.5
		2	No	624	89.5
			Missing	515	
200-200	QN23	Percentage of students who were bullied on school property (ever during the 12 months before the survey)			
		1	Yes	153	13.8
		2	No	1,036	86.2
			Missing	28	
201-201	QN24	Percentage of students who were electronically bullied (counting being bullied through texting, Instagram, Facebook, or other social media, ever during the 12 months before the survey)			
		1	Yes	127	11.8
		2	No	1,066	88.2
			Missing	24	
202-202	QN25	Percentage of students who felt sad or hopeless (almost every day for >=2 weeks in a row so that they stopped doing some usual activities, ever during the 12 months before the survey)			
		1	Yes	489	40.3
		2	No	697	59.7
			Missing	31	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
203-203	QN26	Percentage of students who seriously considered attempting suicide (ever during the 12 months before the survey)		
		1 Yes	261	22.0
		2 No	919	78.0
		Missing	37	
204-204	QN27	Percentage of students who made a plan about how they would attempt suicide (during the 12 months before the survey)		
		1 Yes	202	17.3
		2 No	985	82.7
		Missing	30	
205-205	QN28	Percentage of students who attempted suicide (one or more times during the 12 months before the survey)		
		1 Yes	148	14.6
		2 No	838	85.4
		Missing	231	
206-206	QN29	Percentage of students who had a suicide attempt that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse (during the 12 months before the survey)		
		1 Yes	49	5.1
		2 No	925	94.9
		Missing	243	
207-207	QN30	Percentage of students who ever tried cigarette smoking (even one or two puffs)		
		1 Yes	184	15.2
		2 No	960	84.8
		Missing	73	
208-208	QN31	Percentage of students who first tried cigarette smoking before age 13 years (even one or two puffs)		
		1 Yes	98	8.4
		2 No	1,049	91.6
		Missing	70	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
209-209	QN32	Percentage of students who currently smoked cigarettes (on at least 1 day during the 30 days before the survey)		
		1 Yes	25	2.1
		2 No	1,119	97.9
		Missing	73	
210-210	QN33	Percentage of students who smoked more than 10 cigarettes per day (on the days they smoked during the 30 days before the survey, among students who currently smoked cigarettes)		
		2 No	25	100.0
		Missing	1,192	
211-211	QN34	Percentage of students who ever used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo])		
		1 Yes	438	36.7
		2 No	722	63.3
		Missing	57	
212-212	QN35	Percentage of students who currently used an electronic vapor product (including e-cigarettes, e-cigars, e-pipes, vape pipes, vaping pens, e-hookahs, and hookah pens [such as blu, NJOY, Vuse, MarkTen, Logic, Vapin Plus, eGo, and Halo], on at least 1 day during the 30 days before the survey)		
		1 Yes	78	7.1
		2 No	927	92.9
		Missing	212	
213-213	QN36	Percentage of students who usually got their own electronic vapor products by buying them in a store (such as a convenience store, supermarket, discount store, gas station, or vape store, during the 30 days before the survey, among students who currently used electronic vapor products and who were aged <18 years)		
		1 Yes	8	12.5
		2 No	54	87.5
		Missing	1,155	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
214-214	QN37	Percentage of students who currently used smokeless tobacco (chewing tobacco, snuff, dip, snus, or dissolvable tobacco products [such as Copenhagen, Grizzly, Skoal, or Camel Snus], not counting any electronic vapor products, on at least 1 day during the 30 days before the survey)		
		1 Yes	21	1.9
		2 No	1,144	98.1
		Missing	52	
215-215	QN38	Percentage of students who currently smoked cigars (cigars, cigarillos, or little cigars, on at least 1 day during the 30 days before the survey)		
		1 Yes	31	2.8
		2 No	1,136	97.2
		Missing	50	
216-216	QN39	Percentage of students who tried to quit using all tobacco products (including cigarettes, cigars, smokeless tobacco, shisha or hookah tobacco, and electronic vapor products, ever during the 12 months before the survey, among students who used any tobacco products during the 12 months before the survey)		
		1 Yes	68	35.5
		2 No	134	64.5
		Missing	1,015	
217-217	QN40	Percentage of students who had their first drink of alcohol before age 13 years (other than a few sips)		
		1 Yes	179	16.4
		2 No	941	83.6
		Missing	97	
218-218	QN41	Percentage of students who currently drank alcohol (at least one drink of alcohol, on at least 1 day during the 30 days before the survey)		
		1 Yes	198	17.2
		2 No	871	82.8
		Missing	148	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
219-219	QN42	Percentage of students who currently were binge drinking (had four or more drinks of alcohol in a row for female students or five or more drinks of alcohol in a row for male students, within a couple of hours, on at least 1 day during the 30 days before the survey)			
		1	Yes	62	5.2
		2	No	1,048	94.8
			Missing	107	
220-220	QN43	Percentage of students who reported that the largest number of drinks they had in a row was 10 or more (within a couple of hours, during the 30 days before the survey)			
		1	Yes	8	0.8
		2	No	1,016	99.2
			Missing	193	
221-221	QN44	Percentage of students who usually got the alcohol they drank by someone giving it to them (during the 30 days before the survey, among students who currently drank alcohol)			
		1	Yes	71	36.3
		2	No	122	63.7
			Missing	1,024	
222-222	QN45	Percentage of students who ever used marijuana (one or more times during their life)			
		1	Yes	461	39.9
		2	No	663	60.1
			Missing	93	
223-223	QN46	Percentage of students who tried marijuana for the first time before age 13 years			
		1	Yes	71	6.6
		2	No	1,062	93.4
			Missing	84	
224-224	QN47	Percentage of students who currently used marijuana (one or more times during the 30 days before the survey)			
		1	Yes	245	21.0
		2	No	890	79.0
			Missing	82	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
225-225	QN48	Percentage of students who ever used synthetic marijuana (one or more times during their life)		
		1 Yes	56	5.0
		2 No	1,096	95.0
		Missing	65	
226-226	QN49	Percentage of students who ever took prescription pain medicine without a doctor's prescription or differently than how a doctor told them to use it (counting drugs such as codeine, Vicodin, OxyContin, Hydrocodone, and Percocet, one or more times during their life)		
		1 Yes	157	13.7
		2 No	996	86.3
		Missing	64	
227-227	QN50	Percentage of students who ever used cocaine (any form of cocaine, including powder, crack, or freebase, one or more times during their life)		
		1 Yes	26	2.6
		2 No	1,125	97.4
		Missing	66	
228-228	QN51	Percentage of students who ever used inhalants (sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high, one or more times during their life)		
		1 Yes	55	5.1
		2 No	1,095	94.9
		Missing	67	
229-229	QN52	Percentage of students who ever used heroin (also called "smack," "junk," or "China White," one or more times during their life)		
		1 Yes	24	2.5
		2 No	1,121	97.5
		Missing	72	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
230-230	QN53	Percentage of students who ever used methamphetamines (also called "speed," "crystal meth," "crank," "ice," or "meth," one or more times during their life)		
		1 Yes	28	3.1
		2 No	1,083	96.9
			Missing	106
231-231	QN54	Percentage of students who ever used ecstasy (also called "MDMA," one or more times during their life)		
		1 Yes	22	2.2
		2 No	1,124	97.8
			Missing	71
232-232	QN55	Percentage of students who ever took steroids without a doctor's prescription (pills or shots, one or more times during their life)		
		1 Yes	33	3.5
		2 No	1,116	96.5
			Missing	68
233-233	QN56	Percentage of students who ever injected any illegal drug (used a needle to inject any illegal drug into their body, one or more times during their life)		
		1 Yes	28	2.8
		2 No	1,114	97.2
			Missing	75
234-234	QN57	Percentage of students who were offered, sold, or given an illegal drug on school property (during the 12 months before the survey)		
		1 Yes	274	23.3
		2 No	859	76.7
			Missing	84
235-235	QN58	Percentage of students who ever had sexual intercourse		
		1 Yes	424	40.7
		2 No	606	59.3
			Missing	187

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
236-236	QN59	Percentage of students who had sexual intercourse for the first time before age 13 years		
		1 Yes	47	5.3
		2 No	972	94.7
		Missing	198	
237-237	QN60	Percentage of students who had sexual intercourse with four or more persons during their life		
		1 Yes	98	9.9
		2 No	922	90.1
		Missing	197	
238-238	QN61	Percentage of students who were currently sexually active (had sexual intercourse with at least one person, during the 3 months before the survey)		
		1 Yes	295	28.4
		2 No	727	71.6
		Missing	195	
239-239	QN62	Percentage of students who drank alcohol or used drugs before last sexual intercourse (among students who were currently sexually active)		
		1 Yes	39	13.6
		2 No	252	86.4
		Missing	926	
240-240	QN63	Percentage of students who used a condom during last sexual intercourse (among students who were currently sexually active)		
		1 Yes	130	48.7
		2 No	151	51.3
		Missing	936	
241-241	QN64	Percentage of students who used birth control pills before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	41	15.0
		2 No	236	85.0
		Missing	940	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
244-244	QN67	Percentage of students who described themselves as slightly or very overweight			
		1	Yes	330	29.6
		2	No	775	70.4
			Missing	112	
245-245	QN68	Percentage of students who were trying to lose weight			
		1	Yes	507	45.7
		2	No	605	54.3
			Missing	105	
246-246	QN69	Percentage of students who did not drink fruit juice (100% fruit juices one or more times during the 7 days before the survey)			
		1	Yes	271	24.2
		2	No	837	75.8
			Missing	109	
247-247	QN70	Percentage of students who did not eat fruit (one or more times during the 7 days before the survey)			
		1	Yes	165	15.9
		2	No	933	84.1
			Missing	119	
248-248	QN71	Percentage of students who did not eat green salad (one or more times during the 7 days before the survey)			
		1	Yes	573	53.0
		2	No	520	47.0
			Missing	124	
249-249	QN72	Percentage of students who did not eat potatoes (one or more times during the 7 days before the survey)			
		1	Yes	540	49.4
		2	No	563	50.6
			Missing	114	
250-250	QN73	Percentage of students who did not eat carrots (one or more times during the 7 days before the survey)			
		1	Yes	709	64.7
		2	No	390	35.3
			Missing	118	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
251-251	QN74	Percentage of students who did not eat other vegetables (one or more times during the 7 days before the survey)		
		1 Yes	241	22.5
		2 No	844	77.5
		Missing	132	
252-252	QN75	Percentage of students who did not drink a can, bottle, or glass of soda or pop (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)		
		1 Yes	392	35.9
		2 No	699	64.1
		Missing	126	
253-253	QN76	Percentage of students who did not drink milk (during the 7 days before the survey)		
		1 Yes	395	36.6
		2 No	683	63.4
		Missing	139	
254-254	QN77	Percentage of students who did not eat breakfast (during the 7 days before the survey)		
		1 Yes	179	17.3
		2 No	894	82.7
		Missing	144	
255-255	QN78	Percentage of students who were physically active at least 60 minutes per day on 5 or more days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	311	28.9
		2 No	760	71.1
		Missing	146	
256-256	QN79	Percentage of students who watched television 3 or more hours per day (on an average school day)		
		1 Yes	281	26.9
		2 No	784	73.1
		Missing	152	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
257-257	QN80	Percentage of students who played video or computer games or used a computer 3 or more hours per day (counting time spent on things such as Xbox, PlayStation, an iPad or other tablet, a smartphone, texting, YouTube, Instagram, Facebook, or other social media, for something that was not school work, on an average school day)			
		1	Yes	599	56.1
		2	No	472	43.9
			Missing	146	
258-258	QN81	Percentage of students who attended physical education (PE) classes on 1 or more days (in an average week when they were in school)			
		1	Yes	492	48.2
		2	No	569	51.8
			Missing	156	
259-259	QN82	Percentage of students who played on at least one sports team (counting any teams run by their school or community groups, during the 12 months before the survey)			
		1	Yes	422	40.0
		2	No	631	60.0
			Missing	164	
260-260	QN83	Percentage of students who had a concussion from playing a sport or being physically active (one or more times during the 12 months before the survey)			
		1	Yes	131	14.1
		2	No	937	85.9
			Missing	149	
261-261	QN84	Percentage of students who were ever tested for human immunodeficiency virus (HIV) (not counting tests done if they donated blood)			
		1	Yes	354	32.7
		2	No	693	67.3
			Missing	170	
262-262	QN85	Percentage of students who were tested for a sexually transmitted disease (STD) other than HIV, such as chlamydia or gonorrhea (during the 12 months before the survey)			
		1	Yes	374	35.0
		2	No	660	65.0
			Missing	183	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
263-263	QN86	Percentage of students who saw a dentist (for a check-up, exam, teeth cleaning, or other dental work, during the 12 months before the survey)		
		1 Yes	747	69.1
		2 No	307	30.9
		Missing	163	
264-264	QN87	Percentage of students who had ever been told by a doctor or nurse that they had asthma		
		1 Yes	336	30.8
		2 No	716	69.2
		Missing	165	
265-265	QN88	Percentage of students who got 8 or more hours of sleep (on an average school night)		
		1 Yes	181	18.4
		2 No	872	81.6
		Missing	164	
266-266	QN89	Percentage of students who described their grades in school as mostly A's or B's (during the 12 months before the survey)		
		1 Yes	704	66.5
		2 No	340	33.5
		Missing	173	
267-267	QN90	Percentage of students who are transgender		
		1 Yes	17	1.5
		2 No	1,108	98.5
		Missing	92	
268-268	QN91	Percentage of students who think other people at school would describe them as equally feminine and masculine		
		1 Yes	170	16.6
		2 No	875	83.4
		Missing	172	
269-269	QN92	Percentage of students who most of the time or always went hungry because there was not enough food in their home (during the 30 days before the survey)		
		1 Yes	47	4.5
		2 No	971	95.5
		Missing	199	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
270-270	QN93	Percentage of students who have been taught about AIDS or HIV infection in school		
		1 Yes	781	76.8
		2 No	221	23.2
		Missing	215	
271-271	QN94	Percentage of students who have ever been taught in school about where they could get sexual health services (such as birth control, condoms, or HIV or other sexually transmitted disease (STD) testing or treatment)		
		1 Yes	735	71.8
		2 No	257	28.2
		Missing	225	
272-272	QN95	Percentage of students who reported their physical health was not good (including physical illness and injury, on at least 1 day during the 30 days before the survey)		
		1 Yes	436	43.7
		2 No	550	56.3
		Missing	231	
273-273	QN96	Percentage of students who reported their mental health was not good (including stress, depression, and problems with emotions, on at least 1 day during the 30 days before the survey)		
		1 Yes	613	59.6
		2 No	364	40.4
		Missing	240	
274-274	QN97	Percentage of students who did not usually sleep in their parent's or guardian's home (during the 30 days before the survey)		
		1 Yes	54	6.3
		2 No	938	93.7
		Missing	225	
275-275	QN98	Percentage of students who have ever slept away from their parents or guardians because they were kicked out, ran away, or were abandoned (during the 30 days before the survey)		
		1 Yes	58	6.3
		2 No	915	93.7
		Missing	244	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
276-276	QN99	Percentage of students who strongly agree or agree that they feel close to people at their school		
		1 Yes	650	64.7
		2 No	345	35.3
		Missing	222	
350-350	QNFRCIG	Percentage of students who currently smoked cigarettes frequently (on 20 or more days during the 30 days before the survey)		
		1 Yes	2	0.1
		2 No	1,142	99.9
		Missing	73	
351-351	QNDAYCIG	Percentage of students who currently smoked cigarettes daily (on all 30 days during the 30 days before the survey)		
		1 Yes	1	0.1
		2 No	1,143	99.9
		Missing	73	
352-352	QNFREVP	Percentage of students who currently used electronic vapor products frequently (on 20 or more days during the 30 days before the survey)		
		1 Yes	14	1.2
		2 No	991	98.8
		Missing	212	
353-353	QNDAYEVP	Percentage of students who currently used electronic vapor products daily (on all 30 days during the 30 days before the survey)		
		1 Yes	9	0.8
		2 No	996	99.2
		Missing	212	
354-354	QNTB2	Percentage of students who currently smoked cigarettes or cigars (on at least 1 day during the 30 days before the survey)		
		1 Yes	50	4.5
		2 No	1,079	95.5
		Missing	88	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
355-355	QNTB3	Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco (on at least 1 day during the 30 days before the survey)		
		1 Yes	60	5.4
		2 No	1,065	94.6
		Missing	92	
356-356	QNTB4	Percentage of students who currently smoked cigarettes or cigars or used smokeless tobacco or electronic vapor products (on at least 1 day during the 30 days before the survey)		
		1 Yes	105	10.3
		2 No	881	89.7
		Missing	231	
357-357	QNTB5	Percentage of students who currently smoked cigarettes or used electronic vapor products (on at least 1 day during the 30 days before the survey)		
		1 Yes	90	8.6
		2 No	895	91.4
		Missing	232	
358-358	QNIUDIMP	Percentage of students who used an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	12	3.3
		2 No	265	96.7
		Missing	940	
359-359	QNOTHHPL	Percentage of students who used birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	78	26.6
		2 No	199	73.4
		Missing	940	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
360-360	QNDUALBC	Percentage of students who used both a condom during last sexual intercourse and birth control pills; an IUD (such as Mirena or ParaGard) or implant (such as Implanon or Nexplanon); or a shot (such as Depo-Provera), patch (such as OrthoEvra), or birth control ring (such as NuvaRing) before last sexual intercourse (to prevent pregnancy, among students who were currently sexually active)		
		1 Yes	16	5.5
		2 No	258	94.5
		Missing	943	
361-361	QNBCNONE	Percentage of students who did not use any method to prevent pregnancy during last sexual intercourse (among students who were currently sexually active)		
		1 Yes	62	22.0
		2 No	215	78.0
		Missing	940	
362-362	QNFR0	Percentage of students who did not eat fruit or drink 100% fruit juices (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes	59	5.5
		2 No	1,032	94.5
		Missing	126	
363-363	QNFR1	Percentage of students who ate fruit or drank 100% fruit juices one or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes	566	52.4
		2 No	525	47.6
		Missing	126	
364-364	QNFR2	Percentage of students who ate fruit or drank 100% fruit juices two or more times per day (such as orange juice, apple juice, or grape juice, during the 7 days before the survey)		
		1 Yes	278	27.0
		2 No	813	73.0
		Missing	126	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
365-365	QNVEG0	Percentage of students who did not eat vegetables (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)			
		1	Yes	111	10.9
		2	No	956	89.1
			Missing	150	
366-366	QNVEG1	Percentage of students who ate vegetables one or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)			
		1	Yes	522	48.2
		2	No	545	51.8
			Missing	150	
367-367	QNVEG2	Percentage of students who ate vegetables two or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)			
		1	Yes	205	19.0
		2	No	862	81.0
			Missing	150	
368-368	QNVEG3	Percentage of students who ate vegetables three or more times per day (green salad, potatoes [excluding French fries, fried potatoes, or potato chips], carrots, or other vegetables, during the 7 days before the survey)			
		1	Yes	113	10.7
		2	No	954	89.3
			Missing	150	
369-369	QNSODA1	Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	133	13.5
		2	No	958	86.5
			Missing	126	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage	
370-370	QNSODA2	Percentage of students who drank a can, bottle, or glass of soda or pop two or more times per day (such as Coke, Pepsi, or Sprite, not counting diet soda or diet pop, during the 7 days before the survey)			
		1	Yes	86	9.0
		2	No	1,005	91.0
			Missing	126	
371-371	QNMILK1	Percentage of students who drank one or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)			
		1	Yes	189	19.1
		2	No	889	80.9
			Missing	139	
372-372	QNMILK3	Percentage of students who drank three or more glasses per day of milk (counting the milk they drank in a glass or cup, from a carton, or with cereal and counting the half pint of milk served at school as equal to one glass, during the 7 days before the survey)			
		1	Yes	51	5.7
		2	No	1,027	94.3
			Missing	139	
373-373	QNBK7DAY	Percentage of students who ate breakfast on all 7 days (during the 7 days before the survey)			
		1	Yes	252	23.3
		2	No	821	76.7
			Missing	144	
374-374	QNPA0DAY	Percentage of students who did not participate in at least 60 minutes of physical activity on at least 1 day (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)			
		1	Yes	260	24.4
		2	No	811	75.6
			Missing	146	

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
375-375	QNPA7DAY	Percentage of students who were physically active at least 60 minutes per day on all 7 days (in any kind of physical activity that increased their heart rate and made them breathe hard some of the time during the 7 days before the survey)		
		1 Yes	151	14.1
		2 No	920	85.9
		Missing	146	
376-376	QNDLYPE	Percentage of students who attended physical education (PE) classes on all 5 days (in an average week when they were in school)		
		1 Yes	119	12.4
		2 No	942	87.6
		Missing	156	
377-377	QNNODNT	Percentage of students who never saw a dentist (for a check-up, exam, teeth cleaning, or other dental work)		
		1 Yes	17	2.0
		2 No	1,037	98.0
		Missing	163	
384-384	QNOBESE	Percentage of students who had obesity (\geq 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)		
		1 Yes	167	17.4
		2 No	835	82.6
		Missing	215	
385-385	QNOWT	Percentage of students who were overweight (\geq 85th percentile but $<$ 95th percentile for body mass index, based on sex- and age-specific reference data from the 2000 CDC growth charts)		
		1 Yes	161	16.0
		2 No	841	84.0
		Missing	215	
386-395	WEIGHT			
396-398	STRATUM			
399-404	PSU			

2019 YOUTH RISK BEHAVIOR SURVEY RESULTS

Philadelphia High School Survey
Codebook

Data Location	Variable Name	Question Code and Label	Unweighted Frequency	Weighted Percentage
407-411	BMIPCT			
412-413	RACEETH	1 Am Indian/Alaska Native	7	0.4
		2 Asian	160	11.2
		3 Black or African American	497	51.6
		4 Native Hawaiian/Other PI	15	0.8
		5 White	128	12.6
		6 Hispanic/Latino	143	9.1
		7 Multiple - Hispanic	168	10.9
		8 Multiple - Non-Hispanic	58	3.4
		Missing	41	
414-416	Q6ORIG			
417-419	Q7ORIG			